96anez

oncordSerie

NO. 683

GRAND CONCERT

Full Length: 40° Body: 18½° × 15° Body Denth: 3&° Neck: 1&°

body Deptil 37 Neck 17

NO. 684 DREADNOUGHT

Full Length: 41+ Body: 19+ × 16 Body Depth: 4+ Neck: 1+

NO. 684/12

DREADNOUGHT 12-STRING

Full Length: 43-½" Body: 19-½" × 16" Body Depth: 4-½" Neck: 1-½"

■ Fine grained spruce top. Mahogany back

- and sides.

 Rosewood fingerboard with large pearloid inlaws.
- inlays.

 Adjustable rosewood bridge.
- Chrome plated individual machine heads.

 Cherry Sunburst finish.



No. 684

No. 684/12

No. 683

NO. 693 & NO. 693/CS

DREADNOUGHT

Full Length: 41+ Body: 19+ × 16 Body Depth: 4+ Neck: 1+

NO. 693/12 DREADNOUGHT 19-STRING

Full Length: 43½" Body: 19½" × 16" Body Depth: 4½" Neck: 1½"

Fine grained spruce top.

- Fine grained spruce top.
 Rosewood back and sides.
- Rosewood fingerboard with large pearloid inlays.
- Adjustable rosewood bridge with fancy dove shaped inlays.
 Chrome plated individual machine heads.
- Finish: No. 693 & No. 693/12 —Natural No. 693CS —Cherry Sunburst



SOUTH-PAW SPECIALS NO. 684 L

DREADNOUGHT
Full Length: 41 ½" Body: 19 ½" × 16"

Body Depth: 4½" Neck: 1½"

Designed especially for left-handed

guitarists.

Fine grained spruce top.
Mahogany back and sides.

Rosewood fingerboard and bridge.
 Chrome plated individual machine heads.

SOUTH-PAW SPECIALS
NO. 696 L
DREADNOUGHT

Full Length: 41' Body: 19-3-"×16' Body Depth: 4-4-' Neck: 1-3-"

 Designed especially for left-handed guitarists.

Fine grained spruce top.
 Selected rosewood back and sides.

 Rosewood fingerboard and adjustable rosewood bridge.

Chrome plated individual machine heads.



BLACK-BEAUTY SPECIALS NO. 684 BK DREADNOUGHT

Full Length: 41½" Body: 19½"×16" Body Denth: 44." Neck: 13."

• Fine grained spruce top.

 Hand polished jet-black top, back and sides.
 Rosewood fingerboard with nearloid ne-

Adjustable rosewood bridge.

BLACK-BEAUTY SPECIALS

NO. 752 DREADNOUGHT

Full Length: 41+ Body: 19+"×16" Body Depth: 4+ Neck: 1+"

Hand polished jet-black top, back and

sides.

Fine grained spruce top with deluxe wooden marquetry around sound hole.

Fancy shaped rosewood bridge.

Chrome plated individual machine heads.



NO. 642 CONCERT

Full Length: 397

Body: 193 '×144." Body Depth: 4" · Fine grained spruce top bound with

pearloid binding. Selected rosewood back and sides.

· Attractive genuine abalone pearl inlays on polished fingerboard.

NO. 696 DREADNOLJGHT

Full Length: 41 Body: 19-8 '× 16"

· Fine grained spruce top. · Rosewood back and sides.

· Adjustable rosewood bridge.

NO. 697 DREADNOUGHT

Full Length: 41 Body: 194"×16" Body Depth: 44 Neck: 1-4

· Fine grained spruce top. Rosewood back and sides.

Rosewood fingerboard with heautiful mother of pearl inlays.

· Soundhole rosetic of geruine mother of nearl.

No. 696

No. 697

No. 642

NO. 647

DREADNOUGHT

Full Length: 42" Body: 194"×16" Body Depth: 4+ Neck: 14

NO. 647/12

DREADNOUGHT 12-STRING

Rody: 19.8.1v 161 Body Denth: 4-4-1 Neck: 1.2.

· Fine grained spruce top.

 Back and sides are finished in mahogany. · Polised rosewood fingerboard with fancy pearl inlays.

· Unique shaped pegheads and adjustable rosewood bridges. Chrome plated individual machine heads.

· One of the most popular models in the





NO. 699 DREADNOUGHT

· Selected maple back and sides.

Rock maple fingerboard.

· Adjustable rosewood bridge. · Gold plated individual machine heads.

NO. 670 & NO. 670/12 DREADNOUGHT & 12-STRING

· Flamed maple back and sides.

· Rock maple fingerboard

· Fancy wooden binding around the top. Gold plated individual machine heads.



No. 670

No. 670/12

No. 699



NO. 671 DREADNOLIGHT

Full Length: 41" Body: 194"×16" Body Depth: 44-Neck: 14

NO. 671/12

DREADNOLUGHT 12-STRING

Full Length: 42° Body: 194"×16 Rody Depth: 4-5"

- · Fine grained spruce top.
- · Maple-Jacaranda-Maple three-piece back with wood inlay strips.
- · Wooden (herringbone) inlay around the top and sound hole.
- · Tortoise shell color pickguard.
- · Gold plated individual machine heads.



ORAND CONCERT

 $\begin{array}{ll} Full \ Length: 40^{\circ} & Body: 18 \pm ^{\circ} \times 15^{\circ} \\ Body \ Depth: 3 \pm ^{\circ} & Body: 1 \pm ^{\circ} \end{array}$

NO. 651

DREADNOUGHT

Full Length: 41-‡." Body: 19-‡."×16" Body Depth: 4-‡." Neck: 1-‡."

NO. 651/12

DREADNOUGHT 12-STRING
Full Length: 43+ Body: 19-7:×16

- Body Depth: 4\(\frac{1}{4}\) Neck: 1\(\frac{1}{4}\)
- Fine grained spruce top.
 Selected queen-mahogany back and sides.
- Rosewood fingerboard.
 Fancy tortoise-shell color pickguard.
- Fancy tortoise-shell color pickguard.
 The sound hole is trimmed with famous
- The sound nose is trimmed with fam (herringbone) style marquetry.
- Chrome plated individual machine heads.





NO. 652

DREADNOUGHT

Full Length: 41+ Body: 194"×16" Body Depth: 4+ Neck: 14-"

- Fine grained spruce top.
 Selected rosewood back and sides.
- Wood (herringbone) style inlay around the top and sound hole.
 Fancy tortoise-shell color pick guard
- Fancy tortoise-shell color pick guard
 Highly chrome plated SMOOTH-TUN-ER machine heads.



ELAMING SLIPER

NO. 665 CS DREADNOLJCHT

Full Length: 41+ Body: 194"×16" Body Depth: 4+ Neck: 14:

EL AMINIG SLIPER

NO. 665 BS DREADNOLIGHT

Full Length: 4-1- Body: 19-3-'×16' Body Depth: 44 Neck: 14

· Fancy flamed manle top, back and sides. abalone shell.

· Gold plated individual machine heads. · Ebonized rosewood fingerboard with fancy pearloid inlays.

· Elegant shaped rosewood bridge with pearl inlays. ■ Finish: No. 665 CS — Cherry Sunburst

No. 665 BS - Brown Sunburst



No. 665 CS

No. 665 BS

BRAZILIAN SCENT NO. 750

DREADNOUGHT

Full Length: 41 Body: 194"×16"

Body Depth: 4-4-1 Neck: 1-4:

BRAZILIAN SCENT NO. 750/12

DREADNOUGHT 12-STRING Full Length: 42" Rody: 198"×16" Body Depth: 4+ Neck: 14

· Selected fine grained spruce top.

- · Fancy grained Jacaranda back and sides.
- . The back is joined with fine wood
- · Ebonized rosewood fingerboard with white pearloid dot inlays.
- · Polished ebonized rosewood bridge.
- · Gold plated machine heads.



No. 750

No. 750/12

NO. 656 DREADNOLIGHT

Full Length: 41+ Body: 194"×16" Body Depth: 4+ Neck: 14"

Selected fine grained spruce top. · Figured queen-mahogany back and matching sides.

·Polished rosewood fingerboard with pearloid block inlays.

■Peghead and rosewood bridge are trimmed with fancy pearl inlays.

Chrome plated machine heads.



NO. 756

DREADNOUGHT

Full Length: 41-4." Body: 19-3."×16" Body Depth: 44-Neck: 14"

· Fine grained spruce top. Selected rosewood three-piece back with fancy wooden inlay strips.

Chrome plated Smooth-Tuner machine heads.

NO. 756M DREADNOLIGHT

Full Length: 41+" Body: 19-5"×16" Body Depth: 4-1-Neck: 14

Fine grained spruce top. Flamed Maple-Rosewood-Flamed Maple three-piece back with fancy wooden

inlay strips. · Ebonized rosewood fingerboard with fancy pearloid inlays.

· Peghead and bridge are trimmed with fancy pearl inlays.



NO. 678 DREADNOUGHT

Full Length: 41' Body: 194-1×16 Body Depth: 41 Neck: 1-8

· Fine grained spruce top. Rosewood-Maple-Rosewood three-piece

· Fancy tortoise shell color pickguard. · Chrome plated individual machine heads.

NO. 677

DREADNOUGHT

Full Length: 41' Body: 194 '×16' Body Depth: 41 Neck: 14

· Fine grained spruce top. · Selected rosewood three-piece back with

fancy wooden inlay strips. Chrome plated individual machine heads.

NO. 679 DREADNOUGHT

Full Length: 41" Body: 194"×16" Body Depth: 4+

· Fine grained spruce top. · Iacaranda · Flamed Maple · Jacaranda

three-piece back and Jacaranda sides. · Chrome plated individual machine heads.



No. 678

No. 677

No. 679



NO. 764 DREADNOUGHT

heads.

Full Length: 41" Body Depth: 4-6-7 Neck: 14

· Beatiful Jacaranda body with three piece back . Sound hole is trimmed with black and

white wood marouetry. · Rosewood bridge and fingerboard · Gold plated Smooth - Tuner machine

Body: 193-"×16" · Fine grained spruce top.



No.764

NO. 762M DREADNOUGHT

Full Length: 40 \(\frac{1}{4}\) Body: 19 \(\frac{3}{4}\) \(\times 16\)
Body Depth: 4+\(\frac{1}{4}\) Neck: 1+\(\frac{1}{4}\)

Selected spruce top.

 Polished ebonized rosewood fingerboard with fancy mother of pearl inlays.
 Figured curly maple sides and Maple-

Jacaranda-Maple three piece back.

Fancy simulated abalone pearl binding around the top and soundhole.

NO. 762J DREADNOUGHT

Full Length: 40 \(\pm\)* Body: 19 \(\pm\)* \times 16' Body Depth: 4\(\pm\)* Neck: 1\(\pm\)*

Selected spruce top.

 Polished ebonized rosewood fingerboard with fancy mother of pearl inlays.

Figured jacaranda body with Jacaranda
-Maple-Jacaranda three piece back.
Fancy simulated abalone pearl binding around the top and soundhole.

Gold plated Smooth-Tuner machine

heads.

NO. 684-E

Full Length: 41+' Body: 194'×16' Body Depth: 44-' Neck: 14-'

Fine grained spruce top.

Ibanez Hi-power pick-up installed be-

tween fingerboard and sound hole.

Conveniently located tone and volume controls.

Adjustable rosewood bridge.

Chrome plated SMOOTH-TUNER ma-

chine heads.

ELECTRIC JUMBO
Full Length: 42+ ' Body: 20+ '×17'

Full Length: 42+ Body: 20+ ×1; Body Depth: 5 Neck: 1+ Simple Spruce top.

Fine grained spruce top.
 Ibanez Hi-power pick-up installed between fingerboard and sound hole.
 Conveniently located tone and volume controls.

Adjustable rosewood bridge.
 SMOOTH-TUNER machine heads.

No. 782J No. 782M



No BBA/E

No. 698/E

PROFESSIONAL SPECIALS

NO. 801 DREADNOUGHT

Body: 19-3"×16" Full Length: 41°

Body Denth: 44" · Selectéd and seasoned solid spruce top.

· Fancy grained Jacaranda back and sides

· Ebonized rosewood fingerboard with white pearloid dot inlays. Chrome plated nylon housing Smooth-

Tuner machine heads. PROFESSIONAL SPECIALS

NO. 802

DREADNOLIGHT

Full Length: 41' Body: 194"×16" Body Depth: 4-1-Neck: 14

· Selected and seasoned solid spruce top. · Fine grained rosewood back and sides.

· Ebonized rosewood fingerboard with traditional "Snow-Flake" pearl inlays. · Chrome plated nylon housing Smooth-Tuner machine heads.

NO. 767

DREADNOUGHT

Full Length: 41-3. Body: 20"×16-3. Body Denth : 4-3-" Neck: 14"

· Selected spruce top in brown sunburst finish.

· New shaped body gives natural and incredible volume.

 Fine selected mahogany back and sides. Chrome plated nylon-housing Smooth-Tuner machine heads.

NO. 768 DREADNOUGHT

Full Length: 41" Body: 19-5"×16" Body Depth: 4-4" Neck: 1-3-

· Selected, fine spruce top. · Fine grained rosewood back and sides. · Snow-Flake pearl inlays on polished eb-

onized rosewood fingerboard. · Genuine abalone inlay aroud soundhole. · Chrome plated machine heads.

No. 801 No. 802



NO. 698 & NO. 698/12 JUMBO & JUMBO 12-STRING

- Fine grained spruce top.
- Back and sides are finished in mahogany.
 Rosewood fingerboard with large pear-
- loid inlays.

 Adjustable rosewood bridge.

 Chrome plated individual machine heads.

NO. 698M & NO. 698M/12 JUMBO & JUMBO IZ-STRING

■ Fine grained spruce top.

- Maple back and sides.

 The back is joined with fine wood mar-
- quetry.

 Adjustable rosewood bridge.

 Gold plated individual machine heads.

NO.698 & NO.698M

Full Length: 42+ Body: 20+×17

Body Depth: 5" Neck: 1-4" NO. 698/12 & NO. 698M/1

Full Length: 43+ Body: 20-7 ×17 Body Depth: 5 Neck: 1-7

NO. 758

JUMBO

Full Length: 42+ Body: 20+ ×17 Body Depth: 5 Neck: 1+

- Fine grained spruce top.

 Selected rosewood sides and the back
- is joined with fine wood marquetry.

 Rosewood bridge and fingerboard with fancy styled mother of pearl inlays.

 Beautiful pearl backed pickguard.
- Gold plated SMOOTH-TUNER machine heads.

NO. 758M

JUMBO

Full Length: 42 ± Body: 20 ± ×17* Body Depth: 5 Neck: 1 ± *

- Fine grained spruce top.
 Selected curly maple sides and back joined with fine wood marquetry.
 Rosewood bridge and fingerboard with fancy styled mother of pearl inlays.
- Beautiful pearl backed pickguard.
 Gold plated SMOOTH-TUNER machine heads.



