

AD-190
ELECTRONIC DELAY with FLANGER

TIME MACHINE



The new Ibanez AD-190 Time Machine takes advantage of the latest advances in analog delay technology to bring you a unit of outstanding performance at a very modest cost.

Here are some of the features of the AD-190:

In addition, it's packed with these other fine features:

Fully electronic delay with no moving parts, tape transports, magnetic tape, or tape heads to wear out or become noisy.

Newly developed 5120-stage IC's and special variable filter provide a delay range of 20ms to 400ms with excellent signal to noise ratio.

Wide dynamic range complemented by low noise (-80dbm).

Treble equalization of delayed signal (+12db at 7KHz).

Mix and delay only outputs expand the versatility to virtually any instrument, sound reinforcement or recording application.

SPECIFICATIONS

DELAY TIME	Delay: 20 ms to 400 ms Flanger: 2.56 ms to 125 ms
INPUT IMPEDANCE	- 20 dB 500 k Ω - 35 dB 500 k Ω - 50 dB 5 k Ω
DRY + DELAY/DRY ONLY OUTPUT IMPEDANCE	Less than 5 k Ω
DELAY ONLY OUTPUT IMPEDANCE	Less than 5 k Ω
EQUIVALENT INPUT NOISE	- 85 dbm (input shunted I-F A-curve)
POWER	117 VAC 50/60 Hz or 220-240 VAC 50/60 Hz
SIZE	85 mm(H) 3 1/2" \times 340 mm(W) 13 3/4" \times 145 mm(D) 5 3/4"
WEIGHT	2.2 kg
OPTION	Remote footswitch - BA black rack mount adapter

Ibanez®

FLANGER

FL-301



A breakthrough in circuit design by Ibanez has produced this magical little box - the Ibanez Mini-Flanger FL-301. This flanger offers a wide range of control combined with clean, distortion-free performance and an incredible 100db signal to noise ratio.

In addition, it's packed with these other fine features:

- Using new technology, this unit outperforms nearly any other flanger, but is the most compact and lowest priced on the market.
- New FET electronic switch for completely noiseless and pop-less switching. Because there is no mechanical switching, the unit can be switched with the foot or even with the fingertips.
- LED indicator to visually display the status of the unit and to check the battery.
- External DC (18V) jack for use with AC adaptor.

SPECIFICATIONS

CONTROLS.....	SPEED, WIDTH, REGEN
SWITCH.....	NORMAL EFFECT
INPUT IMPEDANCE.....	500 k Ω
OUTPUT IMPEDANCE.....	10 k Ω
EQUIVALENT INPUT NOISE.....	100 dBm
(Input shorted 1/4" A curve)	
DELAY RANGE.....	2.5 msec - 12 msec
CONTROL SPEED.....	0.05 Hz - 11 Hz
MAXIMUM INPUT LEVEL.....	+4 dBm
GAIN.....	0 dB
BATTERY.....	500P 9 Volt 2 required. Or external AC adaptor, "AC-18" optional.
SIZE.....	111 mm x 60 mm x 36 mm
WEIGHT.....	120 g

Ibanez