



30-35 Superstar 36-37 Imperialstar 38-46 Snare Drums

17-50 Drum Pedals & Cobra Clutch

51 Hi-hat Stands

52-54 Drum Thrones
55 Snare Stands
56 Cymbal Stands
57 Tom Stands & Tom Holders
58-59 Multi-Clamps & Attachments
60 Power Tower System

61 Microphone Stands62 TAMA Percussion63 Drum Accessories

64-65 Drum Sticks 66-67 TAMA Artists



QUILTED MOCHA BURST (QMOB)



GOLD BANDED GUN METAL (RGBG)



Sunny Yellow Lacquer (SYL)



DIAMOND DUST TRICOLOR (RDDT)



LU Magnetic Orange



Egyptian Night Burst (ENB)

STARCLASSIC BUBINGA ELITE

Starclassic Bubinga Elite has created a completely new standard of sonic and visual excellence. Exquisitely grained outer-plies are carefully hand-selected for their extraordinary beauty and to ensure astonishing drum-to-drum consistency. Where different sections of woods or covering are joined, you can touch where each piece meets and experience the feeling of "seamlessness" found in no other drum. There are ten new and very different handcraft-intensive finishes in Bubinga Elite including two of rare cordia, one of beautifully-grained quilted bubinga, two new lacquer finishes, and three multi-sparkle covered finishes.

Color: Nightfall Green Cordia (NGC) with black nickel hardware

Drums: 20"x22" bass drum, 6"x8", 6.5"x10", and 7"x12" 'Hyper-Drive' tom toms, 12"x14" & 14"x16" floor toms, 6"x13" snare drum, 14"x20" gong bass drum, 7850N4H octoban high pitch set with H0W49W octoban stand.

Hardware: HTW739W double tom stand, HTC77WN combination stand, HGS800 gong bass stand, HH905 hi-hat stand, HP900FSW twin pedal, HS700WN snare stand, HC73BWN boom cymbal stands (x3), MCA63EN cymbal attachment, MRB30 ratchet arm, CYA5E cymbal attachment, HT741 drum throne.

Color: Black Banded Copper (RBBC) with black nickel hardware

Drums: 18"x20" bass drum, 7"x12" 'Hyper-Drive' tom, 12"x14" & 14"x16" floor toms, 6"x14"

Hardware: HTC77WN combination stand, HH905 hi-hat stand, HP900PSW twin pedal, HS700WN snare stand, HC73BWN boom cymbal stands (x3).

Color: Gold Banded Gun Metal (RGBG) with brushed nickel hardware

Drums: 18"x20" bass drum, 8"x10", 9"x12", 11"x14", & 13"x16" tom toms, 5.5"x14" & 4"x12" snare drum. Hardware: HTW749W double tom stand, HTC77WN combination stands (x2), HH905 hi-hat stand, HP900RSW twin pedal, HS700WN snare stand, HS70PWN snare stand, HC73BWN boom cymbal stands (x2), HH905XP cobra clutch, MC67 multi-clamp, MTA30 ratchet arm, MCB45EN boom arm, HT741 drum throne.





Color: Quilted Mocha Burst (QMOB) with black nickel hardware.

Drums: 20"x22" bass drum. 6"x8". 8"x10" & 9"x12" tom toms. 12"x14" & 14"x16" floor toms. 6"x14" 'Masai' snare drum

Hardware: HTW739W double tom stand, HTC77WN combination stand, HH905 hi-hat stand, HP900RSW twin pedal, HS700WN snare stand, HC73BWN boom cymbal stands (x2), MCA63EN cymbal attachment, HT650C drum throne.



STARCLASSIC BUBINGA ELITE COLOR FINISHES

Lacquer Exotic Finishes



Nightfall Green Cordia (NGC)
with black nickel hardware



Natural Cordia (NCD) with black nickel hardware

Lacquer Double Stripe Finishes



Gold Banded Gun Metal (RGBG) with brushed nickel hardware



Black Banded Copper (RBBC) with black nickel hardware



White Pearl with Diamond Inlay (IWPD) with brushed nickel hardware



Black Metallic with Gold Inlay (IBMG) with black nickel hardware

Multi-sparkle Covered Finishes



Diamond Dust Tricolor (RDDT) with brushed nickel hardware



Shattered Turquoise Tricolor (RSTT) with black nickel hardware



Garnet Red Tricolor (RGRT) with black nickel hardware

SHELL HARDWARE COLOR OPTION

Starclassic Bubinga Elite offers the choice of shell hardware finished in Chrome, Brushed Nickel Plated, and Black Nickel Plated. Please see P26.

STARCLASSIC BUBINGA / BUBINGA EFX Starclassic Bubinga shells are slightly thicker than those in our Starclassic Maple series for a more aggressive attack. a fuller deep/dark tone and more powerful resonance. We

offer numerous options to meet the professional drummer's wide and critical needs. There are more than 50 different shell sizes. The use of maple for the outer-ply enables us to offer different lacquer shell finishes, and glitter wrap finishes are now available. Starclassic Bubinga also features three shell hardware finishes to choose from: Black Nickel, Brushed Nickel and Chrome. Starclassic Bubinga is simply an unprecedented combination of sight and sound.

Color: Ultraviolet Sparkle (UVS) with black nickel hardware

Drums: [B42BNS basic shell kit] including 18"x22" bass drum, 8"x10", 9"x12" tom toms, 14"x16" floor tom. [add-on] 12"x14" floor tom, 5.5"x14" snare drum. Hardware: HTC77WN combination stands (x2), HH905 hi-hat stand, HP900FSW twin pedal, HS700WN snare stand, HC73BWN boom cymbal

FEATURES

SHELLS

8ply Bubinga + 1 outer ply Maple, TT/FT: 7mm, BD: 8mm

African bubinga wood is approximately 53% harder than maple and birch. Acoustically, bubinga provides very sharp and aggressive attack combined with unbelievably rich and fat lows. Our bubinga shells are slightly thicker than our maple drums which we have determined allows the drums to speak to their fullest. The outer maple ply enables us to offer a much wider selection of colors.

A MULTITUDE OF BOTH LACQUER AND COVERED FINISHES

Bubinga's dense grain only allows a limited number of choices in finishes. So TAMA employs premium maple as an outer ply to enable us to offer a full array of colors for our lacquered Starclassic Bubinga drums. For 2009, covered finishes are now available so discriminating drummers can now choose from five wraps as well as ten lacquer finishes.

OTHER FEATURES

- Star-Cast Mounting System
- Die-Cast Hoops
- Minimum Shell Contact
- EVANS® Drum Heads
- Hold Tight[™] Washers
- Claw Hooks w/ Rubber Spacers
- Cushion Floor Tom Legs These features' detail: Please see P28.


OPTION

• 3 shell hardware color option Black Nickel (BN), Brushed Nickel (H), and Chrome plated shell hardware are available Please see P28.

AVAILABILITY

- Shell size variation
- More than 50 sizes are available. Please see P26.
- Color finishes
- 10 lacguer and 5 duracover finishes are available. Please see P29.





STARCLASSIC MAPLE

In the '80s TAMA's Superstar and Imperialstars reigned supreme - the perfect drums for the times. But TAMA's builders and designers wanted something that transcended trends, something timeless - drums that "understood" a player's passion and allowed the expression of every genre, style, mood, and technique. They created Starclassic Maple...and ignited the thin-shell revolution.

FEATURES

SHELLS

All Maple Shells TT / FT: 6ply, 5mm BD: 7ply, 7mm

For the optimum transfer of vibrations from head to shell, a thinner shell is better. However, less thickness often equals less strength. Instead of simply making thinner shells by using fewer plies, TAMA slims down each ply and then cross laminates them into a 6ply 5mm thick shell (7ply 7mm bass drum). This combination results in a thinner shell that's actually stronger than others of greater thickness. Starclassic shells utilize maple, the most popular shell material today because of its

OTHER FEATURES

- Star-Cast Mounting System
- Die-Cast Hoops
- Minimum Shell Contact • EVANS® Drum Heads
- Hold Tight™ Washers
- Claw Hooks w/ Rubber Spacers
- Cushioned Floor Tom Legs

These features' detail: Please see P28.

OPTIONS

- 3 shell hardware color option Black Nickel (BN), Brushed Nickel (H), and Chrome plated shell hardware are available.
- Sound Focus Rings
 These options' details: Please see P28.

AVAILABILITY

- Shell size variation
- More than 50 sizes are available. Please see P26.
- Color finishes
- 13 lacquer finishes are available. Please see P29.





Color: Gold Sunburst (GSB) with black nickel hardware

Drums: 18"x20" bass drum, 6.5"x10", 7"x12" & 7.5"x13" 'Hyper-Drive' tom toms, 14"x16" floor tom, 4"x15" Kenny Aronoff signature snare drum.

Hardware: HTC77WN combination stands (x2), HH905 hi-hat stand, HP900RSW twin pedal, HS70WN snare stand, HC73BWN boom cymbal stands (x2), MCA63EN cymbal attachment, MCB45EN boom cymbal arm, MC7 multi-clamp, HT650C drum throne.



Color: Antique Natural Burst (ANB) with black nickel hardware

Drums: 16"x20" bass drum, 7"x8", 8"x10" & 9"x12" tom toms, 12" x14" floor tom, 6"x14" 'Valkyrie' snare drum. Hardware: HTW739W double tom stand, HTC77WN combination stand, HH805 hi-hat stand, HP900RS single pedal, HS70WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HT75WN drum throne.



Color: Supernova Sparkle (SNS) with brushed nickel hardware

Drums: 20"x22" bass drum, 6"x8", 6.5"x10", 7"x12" & 8"x14" 'Hyper-Drive' tom toms, 14"x16" & 14"x18" floor toms, 6"x14" 'Valkyrie' snare drum.

Hardware: HTW739W double tom stand, HTC77WN combination stands (x2), HH905 hi-hat stand, HP900FS single pedal, HS700WN snare stand, HC73BWN boom cymbal stands (x2), HC74BWN boom cymbal stand, HT630C drum throne

STARCLASSIC PERFORMER B/B

The distinct and traditional sound of birch has made it the choice of many pro drummers for the last thirty years. But TAMA believes it's time to take birch in an entirely different direction. By using bubinga wood for the inner layers of a birch shell, this mixture of birch and bubinga has created a new sound with a sweeter and deeper tone which exhibits the focused attack of birch paired with the enhanced lows of bubinga.

Color: Dark Stardust Fade (DSF)

Drums: [PL40ZS basic shell kit] including 18"x20" bass drum, 9"x12" tom tom, 14"x14" floor tom, 5.5"x14" snare drum, MTH900AS single tom adapter, MC61 multi-clamp. [add-on] 16"x16" floor tom.

Hardware: [HP5WN hardware kit] including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS single pedal. [add-on] HC73BWN boom cymbal stands (x2).

FEATURES

SHELLS

TT/FT: 4ply Birch + 3 inner plies Bubinga, 6mm BD: 5ply Birch + 3 inner plies Bubinga, 8mm

By using bubinga wood for the inner layer of the birch shell, TAMA has created a new chapter in the Starclassic series. Hybrid tone, which exhibits the focused attack of birch paired with the enhanced lows of bubinga.

OTHER FEATURES

- Star-Cast Mounting System
- Die-Cast Hoops EVANS® Drum Heads
- Claw Hooks w/ Rubber Spacers
- Cushioned Floor Tom Legs
- These features' detail: Please see P28.

AVAILABILITY

- Shell size variation
- More than 20 sizes are available. Please see P27.

 Color finishes
- 6 lacquer finishes are available. Please see P29.



NTAMA

Color: Crystal Blue Burst (CBB)

cymbal stands (x3), MXA63E closed hi-hat attachment, MHA623 hi-hat attachment. not shown in the photo.

> Drums: [PL62HXZS basic shell kit] including 20"x22" bass drum, 6.5"x10" & 7"x12" 'Hyper-Drive' tom toms, 12"x14" & 14"x16" floor toms, 6"x13" snare drum, MTH900AS single tom adapters (x2), MC61 multi-clamps (x2).

Hardware: [HP5WN hardware kit] including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS single pedal. [add-on] HC73BWN boom cymbal stands (x3), HT650C drum throne.

STARCLASSIC PERFORMER B/B EFX

Starclassic Performer B/B EFX Series features a bubinga/birch shell with a sweet and fat sound that has a serious punch. B/B EFX comes in five different patterns of wrap finishes: four different sparkling Glass Glitter finishes and a cabaret-inspired 70's-style color, Astral Black Diamond. The slidable tom holder allows great sound and total set-up flexibility. Every aspect of Starclassic Performer B/B EFX has been designed to express yourself to the fullest.

FEATURES

SHELLS

TT/FT: 4ply Birch + 3 inner plies Bubinga, 6mm BD: 5ply Birch + 3 inner plies Bubinga, 8mm

By using bubinga wood for the inner layer of the birch shell, TAMA has created a new chapter in the Starclassic series. Hybrid tone, which exhibits the focused attack of birch paired with the enhanced lows of bubinga.

OTHER FEATURES

- Star-Cast Mounting System
- Die-Cast Hoops
- EVANS® Drum Heads
- Claw Hooks w/ Rubber Spacers
- Cushioned Floor Tom Legs

These features' detail: Please see P28.

AVAILABILITY

- Shell size variation
- More than 20 sizes are available. Please see P27.
- Color finishes

ITAMA.

Color: Astral Black Diamond (ABD)

Drums: 18"x24" bass drum, 7"x12" 'Hyper-Drive' tom tom, 14"x16" floor tom, 6.5"x14" snare drum.

Hardware: [HP5WN hardware kit] including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS single pedal. [add-on] HC73BWN boom cymbal stands (x2), MTH900AS single tom adapter, MC61 multiclamp, HT630C drum throne.

Color: Garnet Red Glitter (GRG)

Drums: [PX52S basic shell kit] including 18"x22" bass drum, 8"x10" & 9"x12" tom toms, 14"x16" floor tom, 5.5"x14" snare drum, MTH909 double tom holder

Hardware: [HP5WN hardware kit] including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS single pedal. [add-on] HC73BWN boom cymbal stand, MTH900AS single tom adapter, MC61 multi-clamp, HT630C drum throne.



Color: Black Diamond Dust (BDD)

Drums: [PX62HXZS basic shell kit] including 20"x22" bass drum, 6.5"x10" & 7"x12" 'Hyper-Drive' tom toms, 12"x14" & 14"x16" floor toms, 6"x13" snare drum, MTH900AS single tom adapters (x2), MC61 multi-clamps (x2).

Hardware: [HP5WN hardware kit] including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS single pedal. [add-on] HC73BWN boom cymbal stands (x2).

MODEL NUMBERS & SHELL KIT CONFIGURATIONS

STARCLASSIC BUBINGA OMNI-TUNE *only available with Brushed Nickel shell hardware.

Bass Drums							
Depth	Model No.						
16"	SOB1816						
18"	SOB2018						
18"	SOB2218						
20"	SOB2220						
18"	SOB2418						
	Depth 16" 18" 18" 20"						


Floor Toms	A L to	pr 1
Diameter	Depth	Model No.
14"	14"	SOF1414
16"	16"	SOF1616
18"	16"	SOF1816
	21	

Tom Toms		
Diameter	Depth	Model No.
8"	7"	SOT0807
10"	8"	SOT1008
12"	9"	SOT1209
13"	10"	SOT1310
14"	11"	SOT1411
15"	12"	SOT1512
16"	13"	SOT1613

Snare Dru	ıms	
Diameter	Depth	Model No.
14"	5.5"	SOS1455T
14	6.5"	SOS1465T

STARCLASSIC BUBINGA ELITE/ **BUBINGA/MAPLE**

*You can choose a lot of options. Please refer to the following "Model Number System" and "Basic Model Number"



BASIC MODEL NUMBER

DASIC	ASIC MODEL NOMBER								
Bass Drum	ıs			Tom Toms		100	1 6 355		
Diameter	Depth	Bubinga	Maple	Diameter	Depth	Bubinga	Maple		
	14"	BB1814	SMB1814		6"	BT0806	SMT0806		
18"	15"	BB1815	SMB1815	8"	7"	BT0807	SMT0807		
	16"	BB1816	SMB1816		8" 6.5"		SMT0808		
	14"	BB2014	SMB2014		6.5"	BT1065	SMT1065		
20"	16"	BB2016	SMB2016	10"	8"	BT1008	SMT1008		
	17"	BB2017	SMB2017		9"	BT1009	SMT1009		
	18"	BB2018	SMB2018		10"	BT1010	SMT1010		
	14"	BB2214	SMB2214			BT1207	SMT1207		
22"	16"	BB2216	SMB2216		8"	BT1208	SMT1208		
	17"	BB2217	SMB2217	12"	9"	BT1209	SMT1209		
	18"	BB2218	SMB2218		10"	BT1210	SMT1210		
	20"	BB2220	SMB2220		11"	BT1211	SMT1211		
	14"	BB2414	SMB2414		7.5"	BT1375	SMT1375		
24"	16"	BB2416	SMB2416		9"	BT1309	SMT1309		
	17"	BB2417	SMB2417	13"	10"	BT1310	SMT1310		
	18"	BB2418	SMB2418		11"	BT1311	SMT1311		
06"	14"	BB2614	SMB2614		12"	BT1312	SMT1312		
26"	16"	BB2616	SMB2616		8"	BT1408	SMT1408		
					10"	BT1410	SMT1410		
Floor Tom	S			14"	11"	BT1411	SMT1411		
Diameter	Depth	Bubinga	Maple		12"	BT1412	SMT1412		
	12"	BF1412	SMF1412		13"	BT1413	SMT1413		
14"	13"	BF1413	SMF1413		12"	BT1512	SMT1512		
	14"	BF1414	SMF1414	15"	13"	BT1513	SMT1513		
	13"	BF1513	SMF1513		14"	BT1514	SMT1514		

BF1614 BF1615 SMF1615 15" 16" BF1616 SMF1616 14" BF1814 SMF1814

BF1815

BF1816

BF1514

BF1515

14"

15"

14"

15"

16"

SMF1514

SMF1515

SMF1614

SMF1815

SMF1816

Snare Drums *Please refer to P40-41

13"

14"

15"

about Starclassic Bubinga Elite / Starclassic Bubinga / Starclassic Maple Snare Drums.

BT1613

BT1614

BT1615

SMT1613

SMT1614

SMT1615




CONFIGURATIONS LIST





STARCLASSIC PERFORMER B/B



MODEL NUMBER SYSTEM (SHELL KITS)

PL : Starclassic Performer B/B (Lacquer)

Please refer to the following "Configurations List"

Bass Drums

	Diameter.	Donath	Mode	el No.
	Diameter	Depth	Lacquer	Duracover Wrap
	20"	18"	PLB20EM/Z	PXB20EM/Z
	22"	18"	PLB22EM/Z	PXB22EM/Z
H	22	20"	PLB22XM/Z	PXB22XM/Z
r	24"	18"	PLB24EM/Z	PXB24EM/Z

Floor Toms

Diameter	Danth	Mode	el No.
Diameter	Depth	Lacquer	Duracover Wrap
14"	12"	PLF14A	PXF14A
14	14"	PLF14D	PXF14D
40"	14"	PLF16A	PXF16A
16"	40"	PLF16D	PXF16D
18"	16"	PLF18D	PXF18D

Diameter	Donth	Mode	el No.
Diameter	Depth	Lacquer	
8"	6"	PLT8H	PXT8H
0	7"	PLT8A	PXT8A
10"	6.5"	PLT10H	PXT10H
10	8"	PLT10A	PXT10A
12"	7"	PLT12H	PXT12H
12	9"	PLT12A	PXT12A
13"	7.5"	PLT13H	PXT13H
13	10"	PLT13A	PXT13A
	8"	PLT14H	PXT14H
14"	11"	PLT14A	PXT14A
	12"	PLT14D	PXT14D
16"	13"	PLT16A	PXT16A
10	14"	PLT16D	PXT16D


Snare Drums

Diameter	Donth	Model No.			
Diameter	Depth	Lacquer	Duracover Wrap		
13"	6"	PLS136	PXS136		
4.4"	5.5"	PLS55	PXS55		
14"	6.5"	PLS65	PXS65		

Performer B/B Hardware Kit *not sold separately

HP5WN including HS70WN snare stand, HC73BWN boom cymbal stands (x2), HH75W hi-hat stand, HP900PS Iron Cobra Power Glide drum pedal.

CONFIGURATIONS LIST



STARCLASSIC SPECIFICATION, AVAILABILITY & OPTION CHART

ш		Contro	Starclassic		Starclassic Bubinga		Starclassic	Starclassic	Starclassic
н		Series	Bubinga Omni-Tune	Elite & Elite EFX	Lacquer Page 16, 17	EFX	Maple	Performer B/B	Performer B/B EFX
Н	Size & Set	Set Photos Configuration Availability	Page 18-19 Page 26	Page 10-13 Page 26	Page 16-17 Page 26	Page 16-17 Page 26	Page 20-21 Page 26	Page 22-23 Page 27	Page 24-25 Page 27
	create the finest quality s perfectly round shell, our d	sed with carrying on the TAMA tradition: to continue to shells with the most elaborate finishes. By making a seigners allow the wood to achieve maximum resonance the softest touch to the hardest hit, the TAMA shells	9ply Bubinga shells TT/FT:7mm BD:8mm	8ply Bubinga + 1 outer ply Cordia or Quilted Bubinga	8ply Bubinga + 1 outer ply Maple shells TT/FT:7mm	8ply Bubinga + 1 outer ply Maple shells TT/FT:7mm	All Maple shells TT / FT: 6ply, 5mm BD: 7ply, 7mm	TT/FT:4ply Birch + 3 inner plies Bubinga, 6mm	TT/FT:4pty Birch + 3 inner plies Bubinga, 6mm
l	Einich Color Availah			or Maple shells TT/FT:7mm BD:8mm	BD:8mm	BD:8mm		BD:5ply Birch + inner 3ply Bubinga, 8mm	BD:5ply Birch + inner 3ply Bubinga, 8mm
	Finish - Color Availab	inty	4 Lacquer finishes See P29	3 exotic wood lacquer finishes or 4 banded Lacquered or 3 multi-sparkle duracover finishes See P14-15 or P29	10 Lacquer finishes See P29	5 Duracover finishes See P29	13 Lacquer finishes See P29	6 Lacquer finishes See P29	5 Duracover finishes See P29
	Star-Cast Mounting System (US PAT NO.5454288)	A streamlined design makes it easier to position toms closer together for greater ease and comfort than ever before. In addition, a switch to aluminum provides lighter weight and even truer tonal vibration. Last but not least, Star-Cast is now plated to match your drum's shell hardware!	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Die-Cast Hoops	Die-cast hoops have more density and are more consistent in shape than triple flanged hoops, which make tuning more consistent and easier to achieve because the tension bolts always contact the hoop properly. Drums fitted with die-cast hoops also offer crisper attack, clear and resonant highs and much more powerful rim shots.	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Specifications	Omni-Tune Lug (IS PAT.NO.6963022)	The Omni-Tune Lug and Omni-Tune Drum Key allow you to tune both the top head and bottom head from the batter side. Starclassic Bubinga Omni-Tune features the Omni-Tune lug on every drum so the entire set benefits from faster, easier and more precise tuning.	Yes	- (Starclassic Small Lug)	- (Starclassic Small Lug)	- (Starclassic Small Lug)	- (Starclassic Small Lug)	- (Starclassic Small Lug)	- (Starclassic Small Lug)
Cations	Minimum Shell Contact	Our designers never stop looking for new ways to increase drum resonance. Two good examples of this kind of exacting research are the replacement of the traditional metal badge with the imprinted insignia and the small metal soundhole with one made of maple.	Yes	Yes	Yes	N/A	Yes	N/A	N/A
	EVANS® Drum Heads	Evans® heads are featured on all Starclassic drums (except bass drum front heads). On the rack and floor toms, Genera G2 2-ply clear batter heads and Genera G1 1-ply clear bottom heads.Starclassic bass drums are fitted with Genera EQ4 clear batter heads.	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Hold Tight™ Washers (JS PAT.NO.7307204)	The Hold Tight washer is a totally unique invention: a non-loosening washer! The softness of Hold Tight's rubber ring keeps it in contact with both the tension rod and the hoop at all times and maintains friction between them, so that tension is always preserved.	N/A	Yes	Yes	Yes	Yes	N/A	N/A
	Claw Hooks w/ Rubber Spacers	Starclassic's claw hooks feature rubber spacers that help protect wood hoops from damage. The hooks and hoops work as one unit and won't separate or rattle, even on loose tunings.	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Cushioned Floor Tom Legs	Starclassic's Air Pocket™ rubber feet feature a special air chamber, that eliminates the transfer of vibrations to the floor (which chokes sustain and sound) and absorbs shock for better playing.	Yes	Yes	Yes	Yes	Yes	Yes	Yes
A	Shell Kits William In		N/A	2 models See P26	2 models See P26	2 models See P26	2 models See P27	5 models See P27	5 models See P27
Availability	Individual Drum Sizes Uitra Dee X-tra Dee ———————————————————————————————————	the shallow Hyper-Drive to the cavernous X-tra Deep. TAMA's 20"x22" Ultra Deep bass drum size provides thunderous low end combined with maximum resonance. *Hyper-Drive sizes: 6"x8", 6.5"x10", 7"x12", 7.5"x13", 8"x14"	BD: 5 sizes TT: 7 sizes FT: 3 sizes See P16	BD: 18 sizes TT: 28 sizes FT: 12 sizes See P16	BD: 18 sizes TT: 28 sizes FT: 12 sizes See P16	BD: 18 sizes TT: 28 sizes FT: 12 sizes See P16	BD: 18 sizes TT: 28 sizes FT: 12 sizes See P24	BD: 4 sizes TT: 13 sizes FT: 5 sizes See P26	BD: 4 sizes TT: 13 sizes FT: 5 sizes See P26
options	Shell Hardware Color Options Chrome Brished Nickel Black Nickel	Black Nickel(BN), Brushed Nickel(H), and Chrome plated shell hardware are available. To order Starclassic Bubinga/Maple drums with Black Nickel Plated hardware simply add the letters "BN" to the drum model number. For Brushed (Hairline) Nickel hardware, add "H". Ex.SMB2218 – Brushed Nickel plated hardware SMB2218BN = Black Nickel plated hardware	N/A	Yes	Yes	Yes	Yes	N/A	N/A
	Sound Focus Rings	Some players still prefer the sound, attack and feel of drums with reinforcement rings. TAMA offers the Sound Focus Rings as one of the many Starclassic Maple options.	N/A	N/A	N/A	N/A	Yes	N/A	N/A

STARCLASSIC COLOR CHART [Lacquer Finish]

Color Code	Color Name	Image	Starclassic Bubinga Omni-Tune	Starclassic Bubinga Elite	Starclassic Bubinga	Starclassic Maple	Starclassic Performer B/B
SYL	Sunny Yellow Lacquer		•				
NBG	Natural Bubinga		•				
PWH	Piano White		•			•	
PBK	Piano Black		•		•	•	
NGC	Nightfall Green Cordia			•			
NCD	Natural Cordia	三三三次 工權		•			
QMOB	Quilted Mocha Burst	1		•			
RGBG	Gold Banded Gun Metal						
RBBC	Black Banded Copper						
IBMG	Black Metallic with Gold Inlay			•			
IWPD	White Pearl with Diamond Inlay			•			
LUM	LU Magnetic Orange				•	•	
SNS	Supernova Sparkle				•	•	
SCB	Scorched Copper Burst				•	•	
ANB	Antique Natural Burst				•	•	
UVS	Ultraviolet Sparkle				•		
GSB	Gold Sunburst				•	•	
CBK	Cherry Black				•	•	
CLB	Coral Reef Blue				•	•	
DCF	Dark Cherry Fade				•	•	•
BLS	Blue Sparkle					•	
GSP	Green Sparkle					•	
GRP	Gradation Raspberry	tionies.				•	
TBT	Tri-Burst Tobacco						•
ENB	Egyptian Night Burst						•
CBB	Crystal Blue Burst						
DSF	Dark Stardust Fade						•
DMF	Dark Mocha Fade						•

[Duracover Finish]

Color Code	Color Name	Image	Starclassic Bubinga Elite EFX	Starclassic Bubinga EFX	Starclassic Performer B/B EFX
RDDT	Diamond Dust Tricolor				
RGRT	Garnet Red Tricolor		•		
RSTT	Shattered Turquoise Tricolor		•		
BDD	Black Diamond Dust			•	•
DDD	Diamond Dust			•	•
SCG	Stardust Champagne Glitter			•	
GRG	Garnet Red Glitter			•	•
STQ	Shattered Turquoise			•	•
ABD	Astral Black Diamond	+] +] +] +] +] +] +			•





Drums: [SK62HZBNS basic shell kit] including 18"x22" bass drum, 6.5"x10" & 7"x12" 'Hyper-Drive' tom toms, 12"x14" & 14"x16" floor toms, 5.5"x14" snare drum, MTH900AS single tom adapters (x2), MC61 multi-clamps (x2). [add-on] 20"x22" bass drum, 6"x8" & 7.5"x13" tom toms.

Hardware: [HR5WN hardware kit] including HS70WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HH75W hi-hat stand, HP200 single pedal. [add-on] HTW739W double tom stand, HP200 single pedal, HC73BWN boom cymbal stands (x3), MHA623 hi-hat attachment.



Color: Gold Platinum Fade (GPF)

Drums: [SL62HZBNS basic shell kit] including 18"x22" bass drum, 6.5"x10" & 7"x12" 'Hyper-Drive' tom toms, 12"x14" & 14"x16" floor toms, 5.5"x14" snare drum, MTH900AS single tom adapters (x2), MC61 multi-clamps (x2).

Hardware: [HR5WN hardware kit] including HS70WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HH75W hi-hat stand, HP200 single pedal. [add-on] HC73BWN boom cymbal stands (x2), HT75WN drum throne.



Color: Red Silk (RSK)

Drums: [SX44HZBNS basic shell kit] including 18"x24" bass drum, 7"x12" 'Hyper-Drive' tom tom, 14"x16" floor tom, 6.5"x14" snare drum, MTH900AS single tom adapter, MC61 multi-clamp.

Hardware: [HR5WN hardware kit] including H570WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HH75W hi-hat stand, HP200 single pedal. [add-on] HC73BWN boom cymbal stand.

FEATURES

HYPER-DRIVE TOMS

- 1. Pure and articulate tom tones
- 2. Unlimited set-up versality3. Complete player visibility
- 4. Effortless tuning

Hyper-Drive is the new standard depth size on tom toms. Its short depth creates enhanced attack, punchy sound, and quick response. And more it allows you to set up the rack toms in lower position. So, you can post the tom toms more freely.

BLACK NICKEL SHELL HARDWARE

In Superstar Hyper-Drive, all shell hardware is finished in Black Nickel Plated. The beautiful looking produces a higher-grade sense of quality.



AVAILABILITY

- Shell Sizes
- Please see P33.
 Finishes
- You can choose from 11 finishes 5 lacquer finishes, 3 duracover wraps, and 3 unicolor wraps. Please see P33.

SUPERSTAR HYPER-DRIVE



FEATURES

SHELLS



Superstar shells

(TT/FT/SD) 6ply, 6mm / (BD) 7ply, 7mm

Our highest priority feature when developing the new Superstar series was sound. Superstar shells use birch for the main inner plies for strong projection and aggressive open sound. To enhance Superstar's great looks, basswood, with its excellent consistency and regular grain patterns, is utilized for the inner plies on all Superstar shells as well as the outer ply on Superstar Custom SL. Precisely cut bearing edges bring out the great response and powerful resonance of these

HYPER-DRIVE TOMS



Hyper-Drive is the new standard depth size on tom toms. Its short depth creates enhanced attack, punchy sound, and quick response. And more it allows you to set up the rack toms in lower position. So, you can post the tom toms more freely.

STAR-CAST MOUNTING SYSTEM



Superstar rack toms are fitted with a Star-Cast Mounting System milar to Starclassic drums. This unique system offers total tom isolation and unhindered shell resonance without the adverse effect n tuning or complicated head changes found in less advanced

DIE-CAST HOOPS

o other drum embodies pro features at an affordable price like Superstar. In a first for this price range, Superstar is equipped with the same zinc die-cast hoops featured on Starclassic drums. Die-cast hoops not only make tuning easier and more consistent, they also provide crisp attack, clear and resonant highs, and much more powerful rim shots.



20" "ULTRA DEEP" BASS DRUM

With Superstar Hyper-Drive, the 20"x22" Ultra Deep bass drum size is now available. This size provides thunderous low end combined with maximum



SOUND BRIDGE HIGH-TENSION LUGS

The Sound Bridge high-tension, low-mass lug was specifically designed for Superstar, Sound Bridge's unique structure looks much like a traditional hightension lug, but the body of the lug "floats" over the shell to minimize shell contact so the drum can resonate to its fullest. However, Sound Bridge still offers all the benefits of the traditional high-tension lug: it offsets the tension of the batter side and bottom side heads, reduces the stress on the shell, and provides greater tection to the drum shell during transport.



POWER CRAFT DRUMHEADS

sound practically right out of the box! Batter side heads are made of Dupont® Mylar® film for richer tone and greater durability. Ring mufflers on bass drum heads move the need for extra internal muffling.

Dark Desert Burst (DDB)

IMPINITIVE AUDEL WINDERS

INDIVIDUAL MODEL NUMBERS					
	Superstar Custom Lacquer Finish	Superstar EFX Duracover Finish (Wrap)	Superstar Unicolor Finish (Wrap)		
Bass Drums					
18"x22"	SLB22EZBN	SXB22EZBN	SKB22EZBN		
20"x22"	SLB22XZBN	SXB22XZBN	SKB22XZBN		
18"x24"	SLB24EZBN	SXB24EZBN	SKB24EZBN		
Floor Toms					
12"x14"	SLF14ABN	SXF14ABN	SKF14ABN		
14"x16"	SLF16ABN	SXF16ABN	SKF16ABN		
16"x18"	SLF18DBN	SXF18DBN	SKF18DBN		
Tom Toms					
6"x 8"	SLT8HBN	SXT8HBN	SKT8HBN		
6.5"x10"	SLT10HBN	SXT10HBN	SKT10HBN		
7"x12"	SLT12HBN	SXT12HBN	SKT12HBN		
7.5"x13"	SLT13HBN	SXT13HBN	SKT13HBN		
8"x14"	SLT14HBN	SXT14HBN	SKT14HBN		
Snare Drums					
5.5"x14"	SLS55BN	SXS55BN	SKS55BN		
6.5"x14"	SLS65BN	SXS65BN	SKS65BN		
6"x13"	SLS136BN	SXS136BN	SKS136BN		

AVAILABLE COLORS





Grav Pewter (GP)

Satin Cherry Burst (SCY)



Custom Titanium Fade (CTF)









Snow White Pearl (SWP)



SUPERSTAR HARDWARE KIT

HR5WN HS70WN snare stand HC72WN straight cymbal stand HC73BWN boom cymbal stand HH75W hi-hat stand HP200 drum pedal



SHELL KIT CONFIGURATIONS







Satin Cherry Burst (SCY)



Dark Desert Burst (DDB)



Blue Metallic Fade (BMF)



Custom Scarlet Fade (CSF)





Red Silk (RSK)





Vintage Nickel Sparkle (VNS)







Copper Mist Metallic (CMM)



Color: Dark Desert Burst (DDB)

Drums: [SL52S basic shell kit] including 18"x22" bass drum, 9"x12" & 10"x13" tom toms, 16"x16" floor tom, 5.5"x14" snare drum, MTH900M double

tom holder. [add-on] ""x8" tom tom. **Hardware:** [HR5WN hardware kit] including
HS70WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HH75W hihat stand, HP200 single pedal.

[add-on] HC73BWN boom cymbal stands (x2), MRB30 ratchet arm, CYA5E cymbal attachment, CSA35 cymbal stacker, MC61 multiclamp, MTH900AS single tom adapter.

Color: Brushed Metallic Black (BMB)

CA30EN cymbal holder.





Color: Vintage Nickel Sparkle (VNS)

Drums: [SX50S basic shell kit] including 18"x20" bass drum. 8"x10" & 9"x12" tom toms. 14"x14" floor tom. 5.5"x14" snare drum, MTH900M double tom holder. Hardware: [HR5WN hardware kit] including HS70WN snare stand, HC72WN straight cymbal stand, HC73BWN boom cymbal stand, HH75W hi-hat stand, HP200 single pedal. [add-on] HC73BWN boom cymbal stands (x2).



INDIVIDUAL MODEL NUMBERS * only available with Chrome shell hardware.

SLB20E
SLB22E
SLB24E
SLF14D
SLF16D
SLF18D
SLT8A
SLT10A
SLT12A
SLT13A
SLT14A
SLT16A
SLS55


Superstar Custom

Superstar EF Duracover Finish	
Bass Drums	
18"x20"	SXB20E
18"x22"	SXB22E
18"x24"	SXB24E
Floor Toms	
14"x14"	SXF14D
16"x16"	SXF16D
16"x18"	SXF18D
Tom Toms	
7"x 8"	SXT8A
8"x10"	SXT10A
9"x12"	SXT12A
10"x13"	SXT13A
11"x14"	SXT14A
13"x16"	SXT16A
Snare Drums	
5.5"x14"	SXS55

6.5"x14"

SXS65

Superstar	
Unicolor Finish	(Wrap)
Bass Drums	
18"x20"	SKB20E
18"x22"	SKB22E
18"x24"	SKB24E
Floor Toms	
14"x14"	SKF14D
16"x16"	SKF16D
16"x18"	SKF18D
Tom Toms	
7"x8"	SKT8A
8"x10"	SKT10A
9"x12"	SKT12A
10"x13"	SKT13A
11"x14"	SKT14A
13"x16"	SKT16A
Snare Drum	S



SHELL KIT CONFIGURATIONS

* All Superstar kits below come with HR5WN hardware kits.

5.5"x14"

6.5"x14"

SKS55

SKS65







FEATURES

SHELLS

100% Poplar 6ply 7.5mm

Poplar wood has been used in drum shell manufacturing for more than 50 years. It offers a full warm tone combined with medium attack.

TAMA precise bearing edge

Our advanced edge cutting process provides very precise sound edges on the drums. This allows the drum to ring openly and fully, and provides a wide range of tuneability, sensitivity and response

Wrap application to shell

At TAMA, we glue the wrap directly to the shell. Not at "select contact points," we glue it 100%. That reduces the chance of warping, peeling, or buzzing.



TOM HOLDER

Our L-rod and Omnisphere tom holder design have received acclaim from drummers for over 25 years for the easy positioning, maximum flexibility and stability of its design. You can achieve almost any angle by simply loosening one T-bolt.

BASS DRUM SPUR BRACKETS

Spur bracket features the same look and styles as our high-end Starclasssic drums. This promises maximum durability and stability.





ACCU-TUNE HOOPS

Hi-tech material offers lighter weight, and faster, TOM BRACKETS



nore stable tuning than The eye-bolt structure is rock solid for secure



22" BASS DRUM KIT



IS52H6 *Cymbals are not included

Color: Midnight Mist (MNM)

Drums: 18"x22" Bass Drum, 16"x16" Floor Tom, 9"x12"& 10"x13" Tom Toms, 5.5"x14" Snare Drum. Hardware: MTH600 Double Tom Holder, HC33BW Boom Cymbal Stand, HC32W Straight Cymbal Stand, HS30W Snare Stand, HH35W Hi-hat Stand, HP30 Drum Pedal, HT25 Drum Throne,

without HC32W straight cymbal stand from IS52H6.

IS52NFH5 *Cymbals are not included

Color: Midnight Blue (MNB)

Drums: 18"x22" Bass Drum, 14"x14" Floor Tom, 8"x10"& 9"x12" Tom Toms, 5.5"x14" Snare Drum. Hardware: MTH600 Double Tom Holder. HC33BW Boom Cymbal Stand, HS30W Snare Stand, HH35W Hi-hat Stand HP30 Drum Pedal HT25 Drum Throne

IS52NFH6

with additional HC32W straight cymbal stand to IS52NFH5.

20" BASS DRUM KIT

IS50H6

Drums: 18"x20" Bass Drum, 14"x14" Floor Tom, 8"x10"& 9"x12" Tom Toms, 5.5"x14" Snare Drum. Hardware: MTH600 Double Tom Holder, HC33BW Boom Cymbal Stand, HC32W Straight Cymbal Stand, HS30W Snare Stand, HH35W Hi-hat Stand, HP30 Drum Pedal, HT25 Drum

IS50H5

without HC32W straight cymbal stand from IS50H6.

18" BASS DRUM KIT

An 18" bass drum with a foldable bass drum lifter makes this kit the absolute right choice as an entry level drum set for kids, or a pro-style second kit for all agesespecially for small stages with little room to spare. Produces a very big sound for such a compact set! Lightweight, single-braced stands allow easier transport and

Individual Drums

Bass Drums		Tom Toms		Snare Drums	S
18"x20"	ISB20E	7"x 8"	IST8A	5.5"x14"	IWS55
18"x22"	ISB22E	8"x10"	IST10A	6.5"x14"	IWS65
Floor Toms		9"x12"	IST12A		
14"x14"	ISF14D	10"x13"	IST13A		
16"x16"	ISF16D	11"x14"	IST14A		
16"x18"	ISF18D	13"x16"	IST16A		



IS58HS4 *Cymbals and Throne are not included.

Drums: 14"x18" Bass Drum. 12"x14" Floor Tom. 8"x10"& 9"x12" Tom Toms, 5.5"x13" Snare Drum. Hardware: MTH600 Double Tom Holder HC33BS Boom Cymbal Stand, HS30S Snare Stand, HH35S Hihat Stand HP30 Drum Pedal

BASS DRUM LIFTER



Color: Bronze Mist Metallic (BMM)



The Warlord Collection is simply like no other series of snare drum ever. Each of the six snare drums draws its inspiration from the power, discipline and élan of one of history's elite warrior and god forces...the adventurous Norse Vikings, the Spartans, the Athenians, and the Titans of Ancient Greece, Imperial Rome's Praetorian Guard and the fearless Masai of Africa. The aggressive and commanding sounds of these drums are complemented by hardware that evokes visions of the intricately decorated weaponry of the past while providing the unrestrained sound and tuning stability that only modern TAMA drum technology can provide.

FEATURES



SHELLS

The Warlord Collection is comprised of six very different drums, two with wood shells and four with metal, each with its own ery individual sound characteristics The shells are as unique and beautiful



R.S.E. (Resonant Sound Edge)



TAMA's exclusive R.S.E ingeniously combines the standard bearing edge with a special air chamber to create a shell capable of a range of sounds that you simply can't achieve with a standard drum



HI-CARBON SNAPPY SNARE

All Warlord Collection snare drums come with the snappy snare, featuring strong "Hi-Carbon Steel" for its coil. Very dense in carbon and unplated to maximize its sound character, it rovides sharp, sensitive and classic und and longer life.



WARLORD COLLECTION LUGS

TAMA's Warlord lugs are enhanced by flawless, beautifully cut crystals by Swarovski™, the world famous crystal company of Austria. The lugs on wooden shell drums are decorated with jet black crystals, while the lugs on metal shells feature clear black crystals.

EMBLEM

The Warlord's emblem is also enhanced by a Swarovski™ crystal. Following the same design concept of the lugs, the emblem on the wood-shelled Warlord snare drums features a jet black crystal. A clear black crystal is featured on the metal-shelled snare drums.



HARDWARE FINISH

TAMA's Antique Black finished hardware further complements the aggressive Warlord vibe.



TITAN

KTT146 6"x14" 1mm Titanium w/R.S.E.



Unimaginable power and light weight? Is there a catch? Of course there is. The catch is that the new Titan is expensive. But if you're one of the few who must have the best in snare sound and technology, this is it, a drum truly worthy of its inspiration: the powerful Titans of Greek mythology who challenged the gods. The application of TAMA's special R.S.E. (Resonant Sound Edge, patent pending) bearing edge adds even more strength to the Titanium shell as well as a wider tuning range and precise tonal balance—all so you can challenge the gods.

[Spec] Lug: MK1L6B Warlord Collection Lug (Black Diamond Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy: Hi-Carbon Snanny w/SPC50P4



SPARTAN

KSS146 6"x14" 1mm Stainless Steel w/R.S.E.



With a high-end crack reminiscent of the clash of swords and shields, the Warlord Spartan employs lightning attacks, open tones and the inexorable power of a phalanx formation. The Spartan's 1mm Stainless Steel shell features TAMA's Resonant Sound Edge (RSE) that provides an open sound and brightness reminiscent of the vintage

[Spec] Lug: MK1L6B Warlord Collection Lug (Black Diamond Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy: Hi-Carbon Snappy w/SPC50P4.



MASA G Bubinga Shell

KGB146 6"x14" 12ply 10mm All Bubinga

Like the proud and aloof warrior of the African savanna, the Warlord Masai is powerful and indomitable. The 12ply 10mm shell of 100% Bubinga provides extraordinary lowend punch, clear highs and cutting edge attack. A beautifully figured outer-ply of quilted Bubinga in African Twilight finish with a black center burst is a perfect match for the

[Spec] Lug: MK2L6A Warlord Collection Lug (Jet Black Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy: Hi-Carbon Snappy w/SPC50P4.



ATHENIAN

KBR146 6"x14" 1mm Brass w/R.S.E.



Our brass Warlord Athenian, like its steel Spartan counterpart, features TAMA's R.S.E. (Resonant Sound Edge) for more projection and increased fatness. However, the Athenian sound is more controlled and warmer than the Spartan, which makes the Warlord Athenian the right choice for players who favor the tremendous traditional tones of the great old vintage brass snares.

[Spec] Lug: MK1L6B Warlord Collection Lug (Black Diamond Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy; Hi-Carbon Snappy w/SPC50P4.



PRAETORIAN

KBB146 6"x14" 3mm Bell Brass

Imagine the stirring, ground shaking cadence of hundreds of Roman Praetorian Guards on the march, and you'll have some idea of the dynamic and incomparable power when you own a Warlord Praetorian bell brass snare. Praetorian not only has devastating, earth-shattering crack, it also has incredibly subtle sensitivity and control.

[Spec] Lug: MK1L6B Warlord Collection Lug (Black Diamond Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy: Hi-Carbon Snappy w/SPC50P4.



VALKYRIE "Extreme" G Maple Shell

KGM146 6"x14" 15ply 13mm All Maple

What better inspiration for a drum made from woods grown in cold northern climes than the Valkyrie of Norse myth. With a very thick 15ply, 13mm 100% Maple shell, the Valkyrie can produce anything from the softest whisper to thundering tones that will cut through the din. The Warlord hardware is superbly set off by a figured Maple outer-ply finished in beautiful Nordic Woods black burst.

[Spec] Lug: MK2L6A Warlord Collection Lug (Jet Black Crystal) | Hoop: Die-Cast (10 Hole, Antique Black) | Strainer/Butt: MUS80AAB/MUS80BAB | Snappy: Hi-Carbo Snappy w/SPC50P4.

STARCLASSIC SMARE DRUMS



FEATURES

SHELLS

Our craftspeople are obsessed with carrying on the TAMA tradition: to continue to create the finest quality shells with the most elaborate finishes. From the softest touch to the hardest hit, TAMA shells respond to your command.

HOLD TIGHT™ WASHERS (US.PAT.NO.7307204)

The Hold Tight™ washer just won't loosen up! Normally, vibrations will eventually loosen a tension rod. But the Hold Tight's cup-shaped stainless steel washer contains a soft rubber ring that stays in contact with both the tension rod and the hoop at all times, which radically reduces rod loosening. (except Starclassic Bubinga Omni-Tune models.)

SRW620P 20pcs/set

STRAINER & BUTT

The adjustment of the snappy is crucial in determining snare sound. The MUS80A features a side lever action throwoff control while the MCS70A has a push/pull action system. Both strainers utilize a cylinder driven mechanism for precise tolerances to provide extremely smooth and accurate action.

PARTS COLOR CHOICE

Black Nickel (BN), Brushed Nickel (H), and Chrome plated shell hardware are available. Please see P29.

SMS1455FBN (Black Nickel Hardware) / SMS1455FTH (Brushed Nickel Hardware) / SMS1455FT (Chrome Hardware)

STARCLASSIC BUBINGA OMNI-TUNE

The Starclassic Bubinga Omni-Tune shell has an incredibly powerful and well-balanced sound with solid attack and rich resonant lows. Starclassic Buhinga Omni-Tune Snare Drums are fitted with the Omni-Tune Lug that enables tuning both the top and bottom heads from the batter side.

[Spec] Shell: 9ply Bubinga, 8mm | Size: 6.5" x 14" (SOS1465T), 5.5" x 14" (SOS1455T) | Lug: Omni-Tune Lug | Hoop: Die-Cast (10 hole) | Strainer/Butt: MUS80AH/MUS80BH | Snappy: MS20SN14S.

[Available Colors] All of the Starclassic Bubinga Omni-Tune finishes. Please see P29.



SOS1465T color: Piano Black (PBK)



BXS1455BN color: Garnet Red Tricolor (RGRT)

SOS1455T color: Natural Bubinga (NBG)

STARCLASSIC BUBINGA ELITE / ELITE EFX

The concept behind Starclassic Bubinga Elite was to provide today's drummers with our very highest level of craftsmanship. The new Bubinga Elite finishes include TAMA's legendary Cordia outer ply, Quilted Bubinga outer ply and several new patterns of unique stripe finishes. Ten handcrafted finishes are available

[Spec] Shell: 8ply Bubinga + 1 outer ply maple or cordia* or quilted bubinga**, 8mm Size (Basic Model No.): 8" x 14" (BS148/BXS148), 6.5" x 14" (BS1465/BXS1465), 5.5" x 14" (BS1455/BXS1455), 6" x 13" (BS136/BXS136) | Lug: MSL-SCT | Hoop: Die-Cast (14" = 10 hole, 13" = 8 hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: 14" = MS20SN14S, 13" = MS20SN13S.

*Shell finishes: NCD or NGC **Shell finish: QMOB

[Available Colors] All of the Starclassic Bubinga Elite finishes, Please see P14-15.

BS148BN

color: Black Metallic with Gold Inlay (IBMG) with Black Nickel Hardware

BXS1465H color: Shattered Turquoise Tricolor (RSTT) with Brushed Nickel Hardward



BS136BN color: Nightfall Green Cordia (NGC) with Black Nickel Hardware

BXS136

color: Diamond Dust (DDD) with Chrome Hardware

STARCLASSIC BUBINGA / BUBINGA EFX

Bubinga shells are slightly thicker than those of our Starclassic Maple. Starclassic Bubinga shells have an incredibly powerful and well-balanced sound with solid attack and rich resonant lows. The outer ply allows us to offer a much wider selection of colors.

[Spec] Shell: 8ply Bubinga + 1 outer ply maple, 8mm | Size (Basic Model No.): 8" x 14" (BS148/BXS148), 6.5" x 14" (BS1465/BXS1465), 5.5" x 14" (BS1455/BXS1455), 6" x 13" (BS136/BXS136) | Lug: MSL-SCT | Hoop: Die-Cast (14" = 10 hole, 13" = 8 hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: 14" = MS20SN14S, 13" = MS20SN13S

[Available Colors] All of the Starclassic Bubinga finishes. Please see P29.

BXS148BN

color: Black Diamond Dust (BDD) with Black Nickel Hardware



BS1465BN

color: Scorched Copper Burst (SCB) with Black Nickel Hardwar

STARCLASSIC G MAPLE

TAMA's Starclassic G Maple snare drums feature 13ply 10mm thick shells in 6" and 8" depths. The sound is tight and solid with an emphasized high-end "crack." Each drum's beautiful abalone center inlay is set by hand.

[Spec] Shell: 13ply maple, 10mm | Size (Basic Model No.): 8"x14" (SGS148), 6"x 14" (SGS146) | Lug: MSL-SCT | Hoop: Die-Cast (10 Hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: MS20SN14S

[Available Colors] Gold Sunburst (GSB), Cherry Black (CBK), Super Maple (SMP)



SGS148H color: Super Maple (SMP) with Brushed Nickel Hardware



SGS146H color: Cherry Black (CBK) with Brushed Nickel Hardware

STARCLASSIC MAPLE

Our Starclassic Maple snare drums come with a thin 5mm shell, made from Canadian maple wood, which offers high solidity and flexibility. Increased strength is provided by Sound Focus Ring cut from the same wood as the snare drum. This snare drum combines incredible power with Maple's intense and warm tone. Equipped with 10 lugs to ensure precise and balanced tuning. Zinc die-cast hoops provide superior upper end crack and response.

[Spec] Shell: 6ply maple, 5mm w/ Sound Focus Rings | Size (Basic Model No.): 6.5"x 14" (SMS1465F), 5.5"x14" (SMS1455F), 6"x13"(SMS136F) | Lug: MSL-SCT | Hoop: Die-Cast (14"=10 Hole/13"=8 Hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: 14"=MS20SN14S, 13"=MS20SN13S

[Available Colors] All of the Starclassic Maple finishes. Please see P29, and also available in Super Maple (SMP) natural gloss finish.



SMS1455FBN color: Antique Natural Burst (ANB) with Black Nickel Hardware

SMS136FBN : Supernova Sparkle (SNS) with Black Nickel Hardware

STARCLASSIC PERFORMER B/B / B/B EFX

Starclassic Performer B/B combines the classic tone of thin Birch for the outer layer of the shell, along with a heavy duty African wood Bubinga for the inner shell. The use of the thicker, harder Bubinga accentuates Birch's distinct tone and projection. The combination of the two creates a more powerful, deeply rounded sound all its

[Spec] Shell: 4ply birch + 3 inner plies bubinga, 7mm | Size (Basic Model No.): 6.5"x 14" (PLS65/ PXS65), 5.5"x14" (PLS55/PXS55), 6"x13" (PLS136/PXS136) | Lug: MSL-SCT | Hoop: Die-Cast (14"=10 Hole/13"=8 Hole) | Strainer/Butt: MUS80A/MCS70B | Snappy: 14"=MS20SN14S, 13"=MS20SN13S.

[Available Colors] All of the Starclassic Performer B/B & B/B EFX finishes. Please see P29.



STARCLASSIC COPPER / STARCLASSIC BRASS

Starclassic Copper features a 1.5mm copper shell that has a slightly darker sound than bronze or brass. While the use of die-cast hoops contributes to the drum's nowerful attack the overall sound is still well-rounded and controlled

[Spec] Shell: copper, 1.5mm | Size: 5.5"x14" | Lug: MSL-SCTH | Hoop: Die-Cast (10 Hole, Brushed Nickel) | Strainer/Butt: MUS80AH/MUS80BH | Snappy: MS20SN14S.

Starclassic Brass snare drums are slightly warmer in sound compared to steel, but brass still easily cuts through the loudest sonic environments. TAMA's 1.5mm thick brass shell features the perfect blend of high-end cut and projection with warm tones, sensitivity and power.

[Spec] Shell: brass. 1.5mm | Size: 5.5"x14" | Lug: MSL-SCTH | Hoop: Die-Cast (10 Hole. Brushed Nickel) | Strainer/Butt: MUS80AH/MUS80BH | Snappy: MS20SN14S.



SCS1455H



SBS1455H

SIGNATURE PALETTE SERIES

FEATURES



SHELLS

Artwood Custom: 7ply, 6mm All Maple shell with Hi-Gloss Lacquered Finishes Metalworks: 1.2mm Steel shell with Matte **Brushed Black Nickel Plated**

EVANS® "POWER CENTER REVERSE DOT" HEADS

Both Artwood Custom and Metalworks snare drums are equipped with the EVANS® "Power Center Reverse Dot" head on the batter side. The center dot adds more focus to the sound as



METAL EMBLEMS

rtwood Custom and Metalworks snare drums are decorated with dentical metal emblems—definitely omething very different from the ypical badges found on ordinary in this price range.



BLACK NICKEL PLATED PARTS

To further enhance the exquisite look, even the tension rods are black nickel plated.



ARTWOOD CUSTOM


AVAILABLE COLORS





Golden Sunset (GSS)





METALWORKS

Artwood Custom snares offer maple's signature characteristics in sound, feel and response. A slightly thicker shell provides extra warmth and projection, while traditional triple flanged steel hoops offer a more controlled rim shot. Four different sizes are available: three different depths in the 14" diameter, and one in a 13"diameter, Four different finishes can be selected, each beautifully set out by Black Nickel shell hardware.

[Spec] Shell: 7ply all maple, 6mm | Size: 6.5" x 14" (AM1465BN), 5.5" x 14" (AM1455BN), 4" x 14" (AM1440BN), 6.5" x 13" (AM1365BN) | Lug: MSL35BN (5.5" & 6.5" depth), MSL-SCPBN (4" depth) | Hoop: Triple Flanged Hoop (14" = 10 hole, 13" = 8 hole) | Strainer/Butt: MCS70ABN/MCS70BBN | Snappy: 14" = MS20SN14S, 13" =



Slightly thicker, 1.2mm shells combined with triple flanged hoops, allow the Metalworks steel shelled snare drums to perform at their maximum potential. A flat, brushed Black Nickel finish and Black Nickel hardware create a unique, industrial look that's the perfect visual match for sound of steel. Five different sizes provide choices for a wide range of applications.



STEWART COPELAND



5"x14"

SC145





Stewart Copeland's signature model is a faithful reproduction of the snare drum of "mysterious provenance" that he used with the Police and everything else from that time period. A brass shell that's 0.5mm thicker than the standard 1mm shell and the combination of a die-cast batter hoop with a triple flanged bottom hoop provides sounds that easily penetrate what Copeland describes as the "dirge from the bass and the ear-piecing sounds of a guitar"

[Spec] Size: 5"x14" | Shell: 1.5mm Brass Shell | Lug: MSL35 | Batter Side Hoop: Die-Cast (10 Hole) | Snare Side Hoop: Steel Mighty (10 Hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: MS20SN14S.

BILL BRUFORD



5.5"x10"





BB146 6"x14"





Bill Bruford's models are identical in specs with the exception of size. Both models feature hybrid maple/birch shells with a warm, woody tone that's also quite lively, thanks to Bill's preference for flanged hoops. His main snare, the BB146, is based on Bill's main snare with his band Earthworks as well as later King Crimson incarnations. The smaller BB1055 represents Bill's latest concepts for expanding the scope of spare drum colors

[Spec] Size: 6"x 14" (BB146), 5.5"x 10" (BB1055) | Shell: 2ply Maple / 2ply Birch / 2ply Maple Shell | Lug: MSL-SCT (Black Chrome) | Hoop: Steel Mighty (BB146: 10 Hole, BB1055: 6 Hole) | Strainer/Butt: MCS50A / MCS50B (Black Chrome) | Snappy: MS20SN14S (BB146), MS20SN10S (BB1055).

MIKE PORTNOY



MP125



MP1455 5.5"x14" "Melody Master"



Mike and TAMA worked together to create a cool three-way snare strainer that makes adjusting tension as easy as switching between two snare drums. Named for his daughter, Melody, Mike Portnoy's Melody Master drums come in two versions, the MP1455 maple (Mike's main snare drum), and the MP125 steel.

[Spec] Size: 5.5"x 14" (MP1455), 5"x 12" (MP125) | Shell: 8ply Maple Shell (MP1455), 1mm Hammered Steel Shell (MP125) | Lug: MSL-SCT | Hoop: Die-Cast (MP1455: 8 Hole, MP125: 6 Hole) | Strainer/Butt: MCS100A / MCS70B | Snappy: MS20SN14S (MP1455), MS20SN12S (MP125).



MCS100A (3-way Tension Adjustable Strainer) Mike Portnoy's Three-Way Tension Adjustable Strainer can lock into three different pos-

SIGNATURE PALETTE SERIES



Simon's main snare, "The Monarch", produces never-heard-before tones thanks to its 8ply maple/bubinga/maple hybrid shell and customized triple flanged hoops. This combination provides a warm controlled sound with a sharp, bright cut. His second main snare, the Gladiator, features a black nickel-plated bronze shell. His Pageant maple drum completes Simon's snare drum arsenal.

[Spec] Size: 6.5"x14" (SP1465H), 5.5"x14" (SP1455H), 5"x12" (SP125H) | Shell: 3ply Figured maple / 3ply Bubinga / 2ply Maple w/ SFR Shell (SP1465H), 1mm Bronze Shell (SP1455H), 7ply Figured Maple w/ SFR Shell (SP125H) | Lug: MSL-SCTH (SP1465H), MSL35 (SP1455H, SP125H) (Brushed Nickel) | Hoop: Customized Brass Mighty Hoop (SP1465H: 8 Hole), Brass Mighty (SP1455H: 10 Hole), Die-Cast (SP125H: 6 Hole) (Brushed Nickel) | Strainer/Butt: MUS80AH / MUS80BH (Brushed Nickel) | Snappy: MS20S-S (SP1465H, SP1455H), MS20S-12S (SP125H).

LARS ULRICH



LU1465BB 6.5"x 14"

LU1465

6.5"x 14"





Lars' legendary LU1465BB Bell Brass model combines unparalleled power with incredible sensitivity. Die-cast zinc hoops provide even more attack and low-end. His LU1465 is a diamond-plated monster made of a 3mm slab of steel with a power and attack as impressive as its more expensive Bell Brass counterpart.

[Spec] Size: 6.5"x14"| Shell: 3mm Bell Brass Shell (LU1465BB), 3mm Diamond Plate Steel Shell (LU1465) | Lug: MSL36 | Hoop: Die-Cast (10 Hole) | Strainer/Butt: MUS80A/MUS80B | Snappy: MS20SN14S.

JOHN TEMPESTA



JT147 7"x14"



The pairing of a 42-strand snappy snare with a deep 7" brass shell gives John's model an intense and powerful sound that has an unmatched depth of tone. With black nickel shell hardware complementing the brushed black nickel finish, the JT147 looks as menacing and dangerous as it sounds.

[Spec] Size: 7"x14" | Shell: 2mm Brass Shell | Lug: MSL-SCT (Brushed Black Nickel) | Hoop: Die-Cast (10 Hole, Brushed Black Nickel) | Strainer/Butt: MUS80A / MUS80B (Brushed Black Nickel) | Snappy: MS42R14S (Black Nickel Plated).

KENNY ARONOFF



Three beautifully engraved drums with brass shells and brass mighty Hoops, but each with a different mission in sound. The deep-shelled KA1465 offers the bright, round tone of brass. The KA145 is a great all-around snare with a lot of crack and attack, warmth and wide tuning range. The KA154's 15" diameter has a unique sound that you just can't get with a standard 14" snare.

[Spec] Size: 6.5"x14" (KA1465, 5"x 14" (KA145), 4"x 15" (KA145), 4"x 15" (KA145) | Shell: 1mm Brass Shell | Lug: MSL35 (KA1465, KA145), MSL-SCP (KA154) (Nickel) | Hoop: Brass Mighty (KA1465 & KA145: 10 Hole, KA154: 8 Hole) (Nickel) | Strainer/Butt: MUS80A (KA1465, KA145), MCS70A (KA154) / MUS80B (Nickel) | Snappy: MS20SN14S (KA1465, KA145), MS20SN15S (KA154).

JOHN BLACKWELL



JB1365







John's JB1365 exhibits standout resonance and much more volume than you might expect from a 13" snare drum. The 6.5" deep, 1.2mm steel shell features a unique wider flanged edge and three air vent holes with removable plugs that allow wide variations in feel and sound. The visually striking Black Nickel plated shell and hardware is complemented by John's "JB" badge.

[Spec] Size: 6.5"x13"| Shell: 1.2mm Steel Shell | Lug: MSL35BN | Hoop: Steel Mighty (8 Hole, Black Nickel) | Strainer/Butt: MUS80ABN/MUS80BBN | Snappy: MS20SN13C w/SPC50P4.





SNARE ACCESSORIES



DIE-CAST HOOPS

deliver an incredibly sharp, solid rim-shot that sustain than its steel counter part. cannot be found in any other hoop.

MDH13-8 (13" 8 hole batter side) MDH13S-8 (13" 8 hole snare side) **MDH14-8** (14" 8 hole batter side) MDH14S-8 (14" 8 hole snare side) **MDH14-10** (14"10 hole batter side) MDH14S-10 (14" 10 hole snare side)

BRASS MIGHTY HOOPS

Made of die-cast zinc, TAMA's die-cast hoops 2.3mm brass provides a milder attack and more

MFB14-10N (14" 10 hole batter side) MFB14S-10N (14"10 hole snare side)

STEEL MIGHTY HOOPS

TAMA's triple flanged 2.3mm steel hoops provide a "wetter" sound than die-cast zinc hoops

(14" 8 hole batter side) MFM14-8 **MFM14S-8** (14" 8 hole snare side) **MFM14-10** (14" 10 hole batter side) MFM14S-10 (14" 10 hole snare side)

SNAPPY SNARES

The snare wire is a key component of a snare drum. TAMA offers the broadest choices of snares available today. Our Hi-Carbon steel wires dramatically enhance a drum's overall sensitivity

STARCLASSIC SNARES

Starclassic snares have unique and highly useful features. When you add more tension to the wires, the strands press closer to the snare head. We' ve redesigned the angle of the end plates and added thinner straps to obtain the perfect response. The MS20SN14B features bell brass strands for greater sensitivity.



MS20SN10S (10" 20 strands Carbon Steel)

(12" 20 strands Carbon Steel)

MS20SN13S (13" 20 strands Carbon Steel)

MS20SN14S (14" 20 strands Carbon Steel)

MS20SN14B (14" 20 strands Bell Brass)

MS20SN14C (14" 20 strands Hi-Carbon Steel)

WASHERS

SRW620P Hold Tight™ Washers (20pcs/set)



The rubber ring inside of the cup-shaped stainless steel washer absorbs impact vibrations and keeps the hoop and tension bolts in constant contact to prevent the



PW620 (20pcs/set)



2 5mm thick nylon washers decrease noise and make tuning easier and more stable

MW620 (20pcs/set)

Standard metal tension holf washers

SNAPPY STRAPS AND STRINGS DRUM KEYS

MST20 (2pcs/set)

These 15mm wide nylon snappy This specially designed drum key straps are flexible yet durable.

SPC50P4 (2prs/set)

Amazingly durable and flexible snappy snare cord is made of Dupont Kevlar® cable wrapped in polyester fiber for an even higher tensile strength than steel wire. ("Keylar" is registered trademark of Dupont® Corporation.)


TDK10

offers both fine and fast tuning and Featured on all TAMA snare drums is shaped and rounded to perfectly fit except Warlord Collection and JB1365. your fingers. A knurled knob at the end of the key allows you to quickly spin the TDK10 during the initial tension rod tightening for rapid head changes.




REGULAR SNARES

Our regular snare assortment is completely comprehensive with different lengths and different numbers of strands (even a 42 strand version!).



PRACTICE ACCESSORIES





TMP8S

This snare pad is an actual 4" x 8" inch drum with a mesh head. It has a half cut snare wire facing the backside of the mesh head from inside the drum. The knurled knob on the side of the shell lets you adjust the snare tension from tight to loose and off. You can also adjust the tension of the mesh as on a conventional drum.

MESH HEADS



for Tom Toms	for Bass Drums
MH8T (8")	MH18B (18")
MH10T (10")	MH22B (22")
MH12T (12")	for Cymbals
MH13T (13")	CM14HH (14" HH)
MH14T (14")	CM1416 (14" or 16"CYM)
MH16T (16")	CM1820 (18" or 20"CYM)

	Set	
for Bass Drums	Model No.	Content
MH18B (18")		
MH22B (22")	SPP518C	18" BD, 14" FT, 10" & 12" TT,
for Cymbals	3113160	13" SD, 14"HH, 14" or 16" CYM
CM14HH (14" HH)		
CM1416 (14" or 16"CYM)		22" BD, 16" FT, 12" & 13" TT,
CM1820 (18" or 20"CYM)	SPP522C	14" SD, 14"HH, 14" or 16" CYM,
		18" or 20" CYM
		22" BD, 14" FT & SD,
	SPP522FC	10" & 12" TT, 14"HH,
	0 5221 0	14" or 16" CYM. 18" or 20" CYM
	l	14 OF 10 CTIVI, 10 OF 20 CTIVI

PRACTICE PAD STAND



The HS30TP training pad stand can hold pads between 6 and 10 inch diameters. The rubber grips of the basket can also be reversed for holding smaller pads more securely. An extension pipe is included for when practicing standing up is desired.

*Height adjustment range (measured from the top surface of a 6 inch training pad to the floor): w/o extension pipe: 582mm - 732mm (23" - 28 3/4") w/ extension pipe: 848 - 990mm (33 2/5" - 39")

SONIC MUTE




Removable, reusable & reliable mute patch. Adjustable for optimum precision and


(Wash lightly to restore adhesion)

Faster, Smoother, More powerful.

Our Iron Cobras have always been at the forefront of evolution. Now, the Iron Cobra is evolving again, into the new Iron Cobra..

Cabra Eail





THE BENEFIT OF THE COBRA COIL

Until now, the only way to quicken your beater rebound was to tighten the pedal spring. But tightening the spring tension means more effort is required to strike the bass drum (blue broken line in above picture). The Cobra Coil starts working just before the beater hits the bass drum head, so the down stroke has the same great Iron Cobra feel, but the pedal's rebound is now even faster. The Cobra Coil is the answer for players who want a quicker and smoother beater return without having to increase the spring tension.



IRON COBRA DRUM PEDALS

The Iron Cobra continues to evolve! TAMA's innovative "Cobra Coil" pedal spring accelerates the return of the footboard to its original position. The result: an unbelievably effortless action that sets the already smooth Iron Cobra apart from all other pedals in the market. For 2009, the Cobra Coil is a standard feature on all Iron Cobra models, Power Glide off-set cam pedals are typically chosen by players who want a steady, powerful and speedy action. Flexi-Glide strap-drive models are favored by players desiring a traditional, "floating" action with speed. The Rolling Glide is selected by players desiring the even, uniform response of a round cam.

FEATURES

A O THIESS Smooth pedal action is a must if you want to instantly translate your musical ideas into reality. That's why we made it a priority to remove every possible source of resistance and friction in Iron Cobra.



COBRA COIL (US.PAT.NO.7408104)

Until now, the only way to adjust your beater stroke action was to tighten the pedal spring. Sometimes that did the job. More often the action just felt sluggish and heavier. TAMA's latest innovation, the Cobra Coil simply and easily solves the problem.

A special steel spring quickly returns the footboard to its original position so the Iron Cobra feel for the drive shaft without unnecessary twisting so there's never any becomes even more unreal. Even better, the Cobra stress. The end result of these new Coil spring intensity can be adjusted to different improvements is the smoothest pedal



COBRA PEDAL HOUSING

Iron Cobra pedals come equipped with nylon insulators for the bearing housings Twisting springs severely source of friction by replacing Offering even less friction than inside the pedal frame. The insulators reduce pedal smoothness. the traditional nylon rocker standard ball bearing, Oiles® keep the bearings centered in place Spring Tight, a clever half- cam with the Speedo-Ring, a bearings also eliminate sideand secured in the most stable position. This ensures proper bearing support rod, keeps the spring from built-in ball bearing rocker. action possible.



SPRING TIGHT

loss of power transmission.



SPEEDO-RING

TAMA eliminated another (US PAT.NO.6100460)



moon shaped spring tension rocker cam with a high quality to-side motion and provide superior durability (which is why they're used in the aerospace industry). (Oiles® bearings is a registered trademark

of the Oiles Co., Ltd.)



The further you get in pro playing, the more important pedal stability and durability become. Broken sticks can be quickly switched, but not so with the pedal. Iron Cobra is loaded with features that help ensure that, if the show has to stop for any reason, it's because of the vocalist or the guitarist's equipment-not your Iron Cobra.



Para-Clamp keeps your pedal flat on the floor no matter what your bass drum angle. The Para-Clamp is tightened from the side so you never have to stick your fingers under the footboard to make adjustments. And since you can clamp your pedal to hoops up to 14mm (9/16") in thickness, Iron Cobra will fit just about any bass drum in the market.



TIGHT LOCK

begging that "the ultimate pedal" would have to nearly infinite adjustability which Iron Cobra has. Even better, Iron Cobra is simple and easy to adjust.

Tight Lock makes sure the beater shaft stays put by fixing and locking the square head bolt which fixes the beater shaft.



VARI-PITCH BEATER HOLDER IRON COBRA BEATER

Vari-Pitch beater angle adjustments are completely independent of footboard angle. The Speedo-Ring allows you to adjust the angle of the footboard link independently of the beater angle. And with the combination of the Speedo-Ring and the Vari-Pitch, you can achieve any kind of stroke and also enjoy improved playability.

The Iron Cobra beater adjusts the beater head angle to guarantee a flat hit to the bass drum head every time, translating your strike into maximum power. In addition, it's easy to obtain different bass drum sounds simply by changing the



ACCESSORIES

CARRYING CASES

You know what pedals go through night after night. After being stomped on over and over, they get thrown in bags and roadcases where there's more hard rock and roll than the gig itself.

That's why precision instruments like our Iron Cobras come with a specially designed protective carrying case. It's amazing no one









POWER GLIDE CAM

The best selling Iron Cobra of the series, the Power Glide models, feature a double-chained offset cam which increases power and speed as the beater reaches the end of stroke.



ROLLING GLIDE CAM

The Rolling Glide features a true roundshaped sprocket with a double chain for more durability, while still providing the smooth, uniform response of the traditional round cam.



FLEXI GLIDE CAM

There are still a lot of players who love the "floating" action of a strap pedal. The Flexi Glide pedal features a strap made of Dupont Kevlar© which is many times more durable than the old style nylon and leather straps. (Kevlar© is a registered trademark of the Dupont Corporation.)



HP200R

STANDARD DRUM PEDALS

HP200B

Standard Single Pedal w/Carrying Case **HP200TWB** Standard Twin Pedal w/Carrying Case

Absolutely affordable in price, our HP200 pedal is also completely professional in performance. Developed with the same design concept as the Iron Cobra, the HP200 "Iron Cobra Jr." features the same offset Power Glide cam shape, beater angle adjustment and movable hoop clamp of the Iron Cobra line. A dual-sided beater (DS30) provides full volume and clear attack. To provide optimum protection, HP200B and HP200TWB come standard with hardshell carrying cases.



FEATURES

- Power glide
- Para-Clamp(US PAT.NO. 5185489)



The HP30 utilizes the same offset cam design as the Iron Cobra Power Glide. The offset cam offers increased power and speed as the heater reaches the end of the stroke. The beater angle can be easily adjusted, a feature that is usually found only on more expensive pedals. The DS30 beater offers two different sounds: by rotating the beater head, you can choose felt for a softer controlled sound, or plastic for a louder and punchier sound.

PEDAL ACCESSORIES



DUAL SIDED BEATER DS30

IRON COBRA BEATERS

CB90W (Wood) CB90R (Rubber) CB90F (Felt)



TRADITIONAL BEATERS

IRON COBRA BEATER HEADS

CB90RH (Rubber) CB90FH (Felt) CB90WH (Wood)



SPEEDO-RING HP9S



BEATER

BC7

TLK5

BALANCER


TIGHT LOCK

HP900-77



SPRINGS









SPRING TIGHT





DRUM HAMMER DH7

COBRA CLUTCH

HH905XP (US PAT. NO.7135633)

The Cobra Clutch is a completely new instrument based on an entirely different concept than the drop clutch or auxiliary hi-hats. Instead of activating the hi-hats with the hands and simply letting the top hi-hat drop on the bottom hi-hat, the Cobra Clutch activates the hi-hats the way they should be: with the feet and with control. Plus the Cobra Clutch has something else a drop clutch doesn't-you can set how closed or open you want the hi-hat cymbals positioned.

COBRA CLUTCH CARRYING CASE

The Cobra Clutch comes standard with a form-fitted hardshell carrying case for optimum protection, performance and

6714 (Wood)

6713 (Medium Felt)

6712 (Large Felt)



HOW TO PLAY







Use your heel to step on the Locking Plate.

Twist your heel slightly then step on the

IRON COBRA HI-HAT STANDS

After setting a new standard with the Lever Glide hi-hat, TAMA raised the bar with Iron Cobra hi-hats. Designed to be the perfect counterpart to Iron Cobra bass pedals, Iron Cobra hihats offer incomparable sensitivity, lightning fast action, player friendly adjustments, and an absolutely noiseless design.

VELO GLIDE HH805

The response of the traditional pull hi-hat but with a more sophisticated design that eliminates the traditional noise and wohble

LEVER GLIDE **HH905**

The idea of replacing the traditional pull mechanism with a lever design was a genuinely revolutionary concept. Our Iron Cobra version uses roller bearings at the lever fulcrum for even smoother footboard action while a super-strong Kevlar® strap connects the footboard and pull rod for even, noise-free action. (Kevlar® is a registered trademark of the Dupont Corporation)



Specially designed attachment to connect Iron Cobra pedals with Iron Cobra Hi-hat





FEATURES

DUAL LEGS



Our two-leg design is not only easier to set up in limited spaces; it's actually more secure than the standard three-leg design. The secret is in the small stabilizer under the footboard which effectively shifts the balance and strength of the stand toward the player. Since there's no steel plate under the ootboard, Iron Cobra hi-hats are

SPARE-THE-RODS



No more tension rods getting bent out of shape during transport! With Spare-The-Rod, you can save your tension rod the rigors hat work because you can tilt the of the road by packing it in the specially hi-hat cymbal. Iron Cobra hi-hat designed upper section pipe. It's a small, but stands can be tilted quickly and very significant TAMA hardware innovation.

TILT SYSTEM



offer more flexible set-ups, they also offer more expressive hieasily by loosening just one T-Bolt.

STANDARD HI-HAT STANDS



FEATURES



ADJUSTMENT (US PAT.NO. 6747200)

Allows much easier footboard angle adjustments



SWIVEL FOOT

Since the foot pedal can be rotated around the tripod base, the Swivel Foot feature substantially expands




HYDRAULIX

CHAIR

be removed from the base, this innovative throne the longest gigs. offers the most easy-to-store and transport design in the market.

NEW ROUND RIDER

1st Chair Hydraulix thrones allow effortless The New Round Rider seat features a more rounded, gentle shape with lower-profile seams height adjustment simply by activating a lever. (A) that allow completely unimpeded leg motion. A special dimple on the bottom of the seat (B) And because Hydraulix features a seat that can contributes to the soft but solid feeling that encourages you to play your very best even on





SIT TIGHT & ROCKLOK

HYDRAULIX


FEATURES

CHAIR

No more wobbling! TAMA's original "Sit Tight" seat clamp securely grips the throne's upper rod with the same durable aluminum die-cast clamp used in TAMA's famous

TAMA's "Rocklok" features a specially designed nylon bushing at the bottom of the throne's threaded rod that prevents side-to-side motion within the base. Both these special features provide exceptional durability

and stability (The Sit Tight seat clamp fits 19.1mm to 25.4mm rods.)



1ST CHAIR HEIGHT ADJUSTMENT

1st Chair thrones offer the best of both worlds-the exact height adjustment of threaded rod thrones with the fast adjustment of T-bolted systems:

- Loosen the bolt (B) and raise the threaded rod to the approximate desired height (it's not necessary to get the exact height at this point).
- 2. Screw the Height lock (A) down to the top of the nylon
- lock or rotate the seat.
- 4. Tighten the bolt (B) firmly.



FOOT LIFE

It's tough to imagine just how much weight and stress is on the rubber feet of your stand-until you see how often you have to keep replacing them. Not so with Foot Life. An innovative plastic leg attachment. Foot Life eliminates the wear and tear of metal to metal contact for longer foot life

INDIVIDUAL BASES & SEATS

You can upgrade your existing throne with individually available 1st Chair seats and bases. See page 54



ERGO-RIDERSERIES The Ergo-Rider seat provides ergonomic comfort and support. A hybrid of round seat and saddle seat, the Ergo-Rider combines the versatility of the former and playability of the latter. The front cutaway allows completely unimpeded thigh movement, even during the most rapid double bass patterns. In addition, two gentle seat indentations (US PAT.NO.6672660) and an added 20mm upper insert of soft foam



ERGO-RIDER HYDRAULIX "CLOTH TOP"

HT750C

Adjustable height range: 508mm-692mm (20" - 27 1/4")

ERGO-RIDER QUARTET WITH BACKREST

HT741

Adjustable height range: 500mm-710mm (19 3/4" - 28")



The backrest unit on HT741 is both height adjustable and tiltable, so it gives you the support you need, no matter how you sit. And now there's another user-friendly feature: you can fold the backrest itself onto the seat without disassembling for easier transportation. The backrest unit is also sold individually (HTB5) and can fit all 1st Chairs

ERGO-RIDER TRIO

HT730

Adjustable height range: 480mm- 670mm (19" - 26 3/8")





ROUND RIDER SERIES The New Round Rider seat features a more rounded, gentle shape with lower-profile seams that allow completely unimpeded leg motion. Besides "Cloth Top" is featured all model for more comfort and avoidance of sliding down. A special dimple on the bottom of the seat contributes to the soft but solid feeling that reduces fatigue and increases playing enjoyment—even on long nights when you don't particularly like the music or the venue.



ROUND RIDER HYDRAULIX "CLOTH TOP"

HT650C

Adjustable height range: 520mm- 705mm (20" 1/2" - 27 3/4")



WIDE RIDER SERIES

TAMA's most popular 1st Chair throne employs a saddletype seat filled with molded urethane foam that will hold its shape for years to come. 12mm thick plywood at the bottom of the seat provides extra strength and security. The Wide Rider is available with a durable PVC seat (HT530), or a special fabric cloth top (HT530C).



WIDE RIDER TRIO "CLOTH TOP" HT530C

Adjustable height range:

450mm- 640mm (17" 3/4" - 25")

1ST CHAIR ACCESSORIES

1ST CHAIR BACKREST ATTACHMENT INDIVIDUAL HTB5 (US PAT. NO. 6193315 B1)

Sitting on a throne for a long period of time is tough on your back. You could get a throne with a backrest -but they're a pain to transport because they don't fold up. And if you're a player who leans forward, they're no help at all. Unless you get a 1st Chair backrest. The HTB5 can be adjusted up and down AND forward AND it can be detached from the seat when the gig is done. Slick!



THRONE SEATS

You can improve your existing throne with the firm support and comfort of 1st Chair seats. (Fits 19.1mm -25.4mm

HTS7 Ergo-Rider HTS7C Ergo-Rider Cloth Top HTS6C Round Rider Cloth Top HTS5 Wide Rider HTS5C Wide Rider Cloth Top





INDIVIDUAL THRONE SWIVEL SLEEVE BASES

Give your current throne or seat more stability and strength by switching to our individually available 1st Chair bases. You can choose from our traditional "Trio" model, the "Trio Low" for lower than traditional positioning, or our fourlegged "Quartet" for the maximum stability. (Upper rod diameters: 22.2mm), And now you can even add our new, easy-to-adjust "Hydraulix" base available with seat holder and adjustment lever to your existing throne

HSB5 Hydraulix "Sit Tight" Seat Holder included

HSB4 Quartet **HSB3S** Trio Low

HSB3

SSL22S (US PAT. NO. 6030045)

Standard on all 1st Chair Thrones (except HT750C & HT650C), the SSL22S Swivel Sleeve features a Nylon Bushing that allows the seat to rotate even while securely fixed to the threaded rod. Pivot till your heart's content!



ROADPRO THRONE

TAMA's new HT75WN Roadpro throne combines simplicity, professional stability and durability—all at the standard throne price. While the HT75WN features the traditional throne pipe-locking system, it comes equipped with a thicker than traditional 90mm (3 1/2") seat and its base construction is the same as TAMA's hi-end 1st Chair.




- 13" Diameter 90mm(3 1/2") Thick Round Seat
- 1st Chair Double Braced Legs with "Foot Life" rubber feet
- Height Adjustment Range: 430mm- 665mm (17" 26")

STANDARD THRONES

We know that the throne is one of the most important (possibly the most important) part of the drum kit. That's just as true for beginners and players on a budget as it is for touring pros. Which is why TAMA offers the widest range of thrones available, from the ultra professional 1st Chairs to our three standard thrones -all of which are made according to the same rigorous TAMA standards of stability, strength and quality



- Saddle Seat
- Double Braced Legs







HT30

- 13" Diameter, 90mm (3 1/2") Thick Round Seat
- Double Braced Legs
- Height Adjustable Range 445mm-670mm (17 1/2"-26 3/8")



- Single Braced Legs w/ Double Braced Support
- Height Adjustable Range:

400mm-630mm (15 3/4"-24 3/4")

STAR-CAST MOUNTING SYSTEM



The creation of the Air-Ride System achieved a dream of TAMA's designers: to offer the advantage of Star-Cast free suspension mounting to the entire kit, tom or snare. Now snare drums as well as toms can realize their full sonic potential with a feel that's consistent with

And with the Star-Cast Mounting System with Hoop Grips, EVERY snare drum can have the advantage of free suspension mounting: die-cast hoops or flanged.

Air-Ride Snare Mounting System complete kit with Air-Ride unit, Hoop Grips, and HL70WN snare stand for adding the Air Ride System to your existing snare drum.

HL70M10WN (MRM10S + HL70WN) for 10" Snare Drum

HL70M12WN (MRM12S + HL70WN) for 12" Snare Drum

HL70M13WN (MRM13S + HL70WN) for 13" Snare Drum

HL70M14WN (MRM14S + HL70WN) for 14" Snare Drum

AIR-RIDE SNARE STAND HI 70WN

- · 28.6mm diameter base section tubing, double braced legs
- · Hi-Low Base
- Height adjustment range: 580mm 770mm (22 7/8" 30 1/3")
- * Height adjustment range indicates the distance from the batter head of the mounted snare drum to the floor.

FEATURES

HOOP GRIPS (US PAT.NO. 6107555)

Three Hoop Grips allow the attachment of the Star-Cast Mounting System to die-cast or triple flanged hoops. Placed at three balanced positions, the Hoop Grips carry the entire weight of the drum so there's no stress on the shell to dampen vibration.



RUBBER STOPPER

Unlike the Star-Cast Mounting System for toms, the Air-Ride Snare Mounting System features a special brace, which keeps the snare drum stabilized even during heavy rim



L-ROD

The specially designed hexagonal L-rod features position markers for 12", 13" and 14" snare drums



AIR-RIDE SNARE MOUNTING UNITS

Includes mounting arm unit and Hoop Grips (does not include HL70WN snare stand).



MRM10S 10" diameter, 5" to 8" depth

MRM12S 12" diameter, 3 1/4" to 8" depth MRM13S 13" diameter, 3 1/4" to 8" depth

MRM14S 14" diameter, 3 1/4" to 8" depth

FEATURES

SNARE STAND

HS700WN Roadpro Snare Stand HS70WN Roadpro Snare Stand HS70PWN Roadpro Snare Stand • For 12" to 15" diameter snare drums • For 10" to 12" diameter snare drums

- For 12" to 15" diameter snare drums · Hi-Low Base
- · Omni-ball Tilter
- · Swiveling Basket
- Escape Claws
- · Height adjustment range: 620mm-800mm (24 3/8" - 31 1/2")
- · Swiveling Basket Escape Claws

HS30W Stage Master Snare Stand

• For 12" to 14" diameter snare drums

. Universal Gearless Tilter

 Height adjustment range: 640mm-800mm (25 1/4" - 31 1/2")

Swiveling Basket

Escape Claws

- · Height adjustment range: 650mm-775mm (25 1/2" - 30 1/2")
- - Swiveling Basket Escape Claws
 - · Height adjustment range:
 - 660mm-785mm (26" 31")

HS30S Stage Master Snare Stand

• For 12" to 14" diameter snare drums

640mm-800mm (25 1/4" - 31 1/2")

Universal Gearless Tilter

· Height adjustment range

Swiveling Basket

Escape Claws



SWIVELING BASKET

HI-LOW BASE (US PAT.NO. 7365257)

TAMA's unique "Hi-Low" Base is a totally new

design in snare drum stands. It allows much

more flexibility in height adjustment-any

snare from piccolo depth to 8" deep can be

QUICK-SET TILTER

The toothless "Quick-Set" Tilter securely

holds position with the friction of six metal disc plates instead of traditional gears so you

can adjust it to any angle you desire. This

mechanism also has a more durable structure

than the conventional gear tilter.

Asymmetrically spaced basket arms allow an 8 or 10 lug drum to be held without interference with its strainer, butt or lugs. Since the basket rotates independently from the stand, you can place the strainer in any position needed.



ESCAPE CLAWS

TAMA's "Escape Claws" rubber cushions allow

the snare drum to "float" on the basket arms for improved resonance. In addition, they help reduce fatigue by softening the impact of snare drum playing on your arms and wrists.





Quick-Set Tilter

BOOM CYMBAL STANDS

Quick-Set Tilter

TOM STANDS & TOM HOLDERS

STRAIGHT CYMBAL STANDS

HC32W Roadpro Straight Cymbal Stand

HC32S Stage Master Straight Cymbal Stand Stage Master Straight Cymbal Stand

 Double Braced Legs · Quick-Set Tilter

 28.6mm Diameter Base Section Tubing
 25.4mm Diameter Base Section Tubing
 25.4mm Diameter Base Section Tubing Double Braced Leas



HC74BWN

HC74BWN

Roadpro Boom Cymbal Stand • 28.6mm Diameter Base Section Tubing • 28.6mm Diameter Base Section Tubing

- Double Braced Legs
- . Boom/Straight Convertible tilter Detachable Counter Weight
- Boom Arm Length: 580mm (22 3/4")
- · Quick-set Tilter

HC73BWN

HC33BW

Roadpro Boom Cymbal Stand

HC33BS

- Double Braced Legs
- . Boom/Straight Convertible Tilter • Boom Arm Length: 450mm (17 3/4")
- Quick-set Tilter

HC33BW

Stage Master Boom Cymbal Stand

- Double Braced Legs
- Boom/Straight Convertible Tilter
- Fine Gear Tilter
- Boom Arm Length: 400mm (15 3/4")

HC33BS

Stage Master Boom Cymbal Stand

- 25.4mm Diameter Base Section Tubing 25.4mm Diameter Base Section Tubing
 - Single Braced Legs
 - . Boom/Straight Convertible Tilter
 - Fine Gear Tilter
 - Boom Arm Length: 400mm (15 3/4")

HC73BWN

FEATURES

QUICK-SET TILTER (US PAT.NO.7385127)



The toothless "Quick-Set" cymba tilter lets you adjust the angle freely and hold it in position by the friction of six metal disc plates instead of gears. You're completely free to adjust it to any angle you desire. This mechanism also has a more durable structure than the conventional gear tilter.

BOOM/STRAIGHT CONVERTIBLE TILTER CYMBAL MATE Don't let stingy stage space cramp your style! If there's no room for a

boom simply convert to a straight stand and the boom arm stores neatly



positions for Ride or China cymbals: Position 1 for a looser fit (shown left) or Position 2 for a tighter fit (shown right)

You can choose two Cymbal Mate

DURABILITY



MI 191N

A threaded steel insert nut (US PAT.NO.6239343) placed inside the tripod base is much stronger and therefore less prone to stripping than the tradition method of cutting the threads directly in to the die-cast section.

ML222NT

REVERSIBLE BOTTOM



The cymbal bottom protects the cymbal's center hole from the tilter's shaft and threads. If part of the nylon sleeve wears out, you can continue to use the cymbal bottom by turning it upside down.



in the upper tube.

and Stage Master lineups were designed with the elimination of stand noise a top priority. A special rubber cap (A) at the end of the upper tube eliminates swaying and rattling, and a special nylon sleeve (B) underneath the die-cast joint of the base section further reduces swaving.



At each die-cast joint, the T-nut/bolt is combined with a pressure plate and nylon bushing. With this design, removing and replacing a worn bolt or bushing is fast and easy

MEMORY LOCKS ory locks are always a "must-have" tool for fast, easy and consiste

for 10.5mm-12mm diameter boom arm

ML191N for 19.1mm diameter pipe

ML222NT for 22.2mm diameter pipe

CYMBAL STAND ACCESSORIES






CYMBAL MATE CM8P (M8: 2pcs/pack) FELT WASHER 7081P (2pcs/pack) REVERSIBLE BOTTOM RB8P (M8: 2pcs/pack)

TOM STANDS You can have the very best drums and cymbals in the world, but you'll never really enjoy playing them if you can't place them where you need.

TAMA has re-examined every aspect of tom holder and tom stand design so can now achieve perfect placement. The all-new HTC707WN Tom and Cymbal Stand features a sliding mechanism that also allows you to move the toms forward and back (up to 60mm) by simply loosening a bolt. The cymbal and tom holders have been separated at the optimum distance position to provide you with full set-up flexibility. And with TAMA's acclaimed Omni-Ball angle adjustment system on the tom holders, just about any set-up you can imagine can be achieved.



MTH909 (US PAT.NO.7381876) **Double Tom Holder**

This tom-holder expands setting flexibility by using a sliding connector unit that moves back and forth up to 50mm (2 inches). Now a player simply loosens a bolt in order to easily adjust the proximity of any size toms, large or small!



MTH900M Double Tom Holder

While we keep improving out tom holders, two essential components have remained constant for twenty years: TAMA's L-Rod and nylon Omni-ball systems continue to provide total tom vibration, complete positioning flexibility, and rock solid stability.

MTH900BM Single Tom Holder

The lower section of the MTH900M acts as a single tom holder. By removing the plastic cap, you can insert 19.1mm diameter tubes like those on the CA30EN cymbal holder for more varied setups.


MTH600 Double Tom Holder

A simple and practical design featuring TAMA Omni-ball System allows almost any angle to be achieved by simply loosening one T-nut.

MEMORY LOCKS



ML254TC for MTH909, MTH600 ML254T for MTH900M, MTH900BM



MULTI-CLAMPS & ATTACHMENTS

Back in the 1970s, TAMA's original introduction of the multi-clamp was a real revolution in the complex instrument we know as the drum kit, Today multi-clamps are standard equipment in drums of all brands. But TAMA continues to stay ahead of the pack with improvements, and new designs. affordable pricing, and superior reliability. So whether you want your simple set more complex, your complex set-up simple, or you just want to fit a large set into a small space, TAMA remains the name in multi-clamp technology.

FASTCLAMP EASY SET UP SYSTEM



FastClamp

Do you ever feel like you need three nands to attach a drum clamp? Are floor searches for dropped and scattered parts a source of constant frustration? That's why TAMA's nardware designer came up with astClamn It really is as easy as

- . You open the FastClamp just like a clothes
- 2. You close the FastClamp on the stand just like a clothespin 3. Now the FastClamp holds the clamp in place so you can tighten the T-bolt.

Done! Who knows, you may even start to enjoy setting up your kit as much as you do playing it! Well, maybe not, but if your kit requires a lot of clamps, you'll find set up time faster and a whole lot easier with attachments that feature the FastClamp Easy Set Up System

MC67+MTH900AS

UNIVERSAL CLAMPS

FastClamp

MC67

The heavier duty version of the MC66, one side holds pipes with diameters from 19.1mm to 28 6mm diameter: the other side is a ratchet holder that can hold a 12mm to 25.4 mm rod or pipe at all different kinds of angles.





One side can hold pipes with diameters from 19.1mm to 28.6mm diameter: the other side is a ratchet holder that can hold a 9mm to 12mm rod at all different kinds of angles. One of the best choices for adding a lot of possibilities to your set up



MC66+LCB



FastClamp

MC61

attachment having a 19.1mm diameter pipe. sides include FastClamp Easy Set Up System.

FastClamp MC62

Basic clamp for connecting a stand with pipes Double multi-clamp for connecting two pipes rom 19.1mm to 28.6mm in diameter with any with diameter from 15.9mm to 28.6mm. Both

QUICK-SET TILTER (US PAT.NO.7385127)

Quick-Set Tilter

The toothless "Quick-Set" Tilter securely holds position with the friction of six metal disc plates instead of traditional gears so you can adjust it to any angle you desire. This mechanism also has a more durable structure than the conventional gear tilter.

COMPACT CLAMPS (US PAT.NO.6093878)

A clamp for connecting parts with a diameter of between 9mm to 12mm together. By combining a boom arm (MCB30E/N, MCB45E/N) and an L-rod (LLT, LCB, LCYE) this clamp can be used to attach a variety of parts onto a simple

MC7

Same functions as the MC5 but with even greater flexibility. The ratchet holder section can hold any diameter tube from 12mm to 25 4mm



CLOSED HI-HAT ATTACHMENT

FastClamp

MXA63E (US PAT.NO.6177621)

Simple design closed hi-hat allows two different stages by turning a lever. Can be attached to stands with 19.1mm to 28.6mm diameter. A real plus for double bass or double pedal players.

CA45EN

CA30EN



BOOM CYMBAL HOLDERS

With a pipe diameter of 19.1mm, these cymbal holders can be connected to stands using either our MC61 or MC62 multi-clamps, or to a Power Tower rack using the J24 clamp. Two models are available.

> CA45EN (long) 450mm (17 3/4") length



300mm (11 3/4") length



CA45E (long)

450mm (17 3/4") length (Fine Gear Tilter)

CA30E (short)

300mm (11 3/4") length (Fine Gear Tilter)

BOOM ARMS

Two different lengths of cymbal booms which can be used in combination with a ratchet arm or the MC66 universal clamp.



450mm (17 3/4") length (Fine Gear Tilter)

MCB30E (short)

300mm (11 3/4") length (Fine Gear Tilter)



CYMBAL STACKER CSA35

Our cymbal stacker is now compatible with all TAMA cymbal stands, including those with Quick-Set Tilters. It will work with both 6 mm and 8 mm diameter cymbal rods.





CYMBAL ATTACHMENTS

MCA63E (Fine Gear Tilter)

Combines the MC66 universal clamp and MCB30EN/MCB30E boom arm. Works perfectly for adding cymbals and accessories to stands with pipe diameters of 19.1mm to 28.6mm

CYA5E

Combines the MC5 compact clamp with LCYE L-rod for mounting one cymbal to one boom arm. Can be clamped to rods from 9 to 12mm in diameter or the L-rod of a tom



SINGLE TOM ADAPTERS

MTH900AM (long) Allow you to add single toms to stands with the flexibility and speed MTH900AK (short)
of TAMA's Omni-Ball / L-rod combination. Both single tom adapters
employ the same 19.1mm diameter pipe but the MTH900AS features a shorter pipe to set toms at floor tom height.



HI-HAT ATTACHMENT

FastClamp

MHA623

Connects the hi-hat to the hoop of a double bass drum so the legs can be closed. Improved design featuring the Para-Clamp mechanism from Iron Cobra pedals makes attachment even easier and more secure.





COWBELL ATTACHMENTS

Compact attachment for hand percussion such as cowbells or tambourines. Combines MC5 compact clamp and LCB L-rod for set-up flexibility. 3/8" L-rod fits most popular percussion and accessorie





MCA63FN+CBA5+CYA5F

CBH20

This simple attachment allows cowbells to be mounted on the bass drum. The length and angle of the L-rod can be easily





L-RODS

LLT

L-rod for mounting toms (10.5mm diameter).

L-rod for mounting different hand percussion instruments and accessories. 9mm diameter rod fits most popular percussion instruments designed to be attached to a 3/8" rod.

LRW

L-rod for mounting the RW105 Rhythm Watch

LCYE


L-rod for mounting lightweight cymbals



MICROPHONE STANDS

Drum racks offer two main advantages. One is set-up flexibility since there are no spaceconsuming tripod bases. The second is being able to quickly achieve precisely the same setup every time. TAMA Power Tower Systems utilize strong 38.1mm (1 1/2") round tubing which allows drums and hardware to be positioned quickly and easily. A wide range of different attachments add another dimension of flexibility to Power Tower Systems.

COMPLETE SET AND EXTENSION UNIT



Our basic pro set-up features ergonomically curved stainless steel pipe, which allows the most natural set-up in the optimum amount of space. The PMD900SS features super stable horizontal floor legs, two double-extension cymbal arms, and two

STAINLESS STEEL PIPES

Model No.	Length
Straight pipes	
PPR62SS	625mm (25")
PPR75SS	750mm (30")
PPR100SS	1000mm (40")
PPR125SS	1250mm (50")
Curved pipe	
PPR110SR	1100mm (43 1/4")
Straight pipe with die-cas	t joint for 22.2mm tubing
PPR75SD	750mm (30")
Rectangular pipe	
SS42-500	500mm (20")





SNARE BASKET **ATTACHMENT**

SNA22

Snare basket attachment for Power Tower Systems. A must for double bass set-uns and sub-snare use

SQUARE PIPE SS42-500







KEY WRENCHES

5mm hexagonal wrench

2.5mm hexagonal wrench for J14 pipe clamp

Drum hammer featuring drum key and 5mm hex wrench

CLAMPS & ATTACHMENTS



Memory lock specially



Connects two 38.1mm Power Tower pipes at a 90



Rack mount for L-rod or cymbal holder. Fits 10.5mm through 28.6mm.



Pipe clamp connects the SS42-500 support bar with the rectangular base of the PMD900/90SS.





J10

90 degree parallel pipe clamp allows two pipes to be set at equal height



J17

Sleek looking connector allows two shorter pipes to be attached together to make one longer pipe.



RUBBER FEET AND CAP

Plastic cap


Round plastic foot

RC Round rubber foot **SC** Square rubber foot



L-Rod for mounting toms to the Power Tower System using a J24 clamp.

The MS200 series Heavy-Duty microphone stands are the result of over a quarter century of our experience in creating innovative, professional drum and performance hardware. These microphone stands feature simple operation with no gimmicks. Form, function and durability exceed the highest professional standards-all at a very affordable price.



Model No.	MS205	MS205BK	MS200	MS200BK	MS200D	MS200DBK	MS200FS	MS205ST	MS205STBK	MS20
Туре	Boom (Chrome)	Boom (Black)	Straight (Chrome)	Straight (Black)	Straight w/Round Base (Chrome)	Straight w/Round Base (Black)	Straight "One-hand" Stand (Chrome)	Short Boom (Chrome)	Short Boom (Black)	Table Top (Chrome)
Height	960-1600mm	960-1600mm	910-1550mm	910-1550mm	890-1570mm	890-1570mm	920-1530mm	436-566mm	436-566mm	227-376mm
Boom arm	830mm	830mm	-	-	-	-	-	510mm	510mm	-
Weight	3.2kg	3.2kg	2.4kg	2.4kg	3.8kg	3.8kg	2.6kg	2.3kg	2.3kg	1.1kg

GONG BASS DRUMS

BG20R 14"x20" Starclassic Bubinga Gong Bass (Lacquer finishes) **BXG20R** 14"x20" Starclassic Bubinga Gong Bass (Duracover finishes)

SMG20R 14"x20" Starclassic Maple Gong Bass

HGS800 Gong Bass Stand

An early TAMA original, the Gong Bass Drum features a 22" head on a 20" shell with no bottom head. This design produces a sound with excellent sustain that's close in character to a concert

The Gong Bass Drum utilizes 8mm thick Starclassic Bubinga & 7mm thick Maple shell. Available with Chrome shell hardware only.

The aluminum stable stand in silver finish offers easy yet secure position thanks to another TAMA original idea: Power Tower stand components.

*Gong Bass Drums are available in all the Starclassic Bubinga (Elite, Lacquer & EFX) & Maple finishes. Please see P29. *NGC OMOR GSR SCR & ANR finishes will feature a fade rather than a burst.



OCTOBANS

One of TAMA's first original instruments, TAMA Octobans have been played by progressive players from Simon Phillips to Stewart Copeland to Mike Portnoy. Octobans change pitch by using shell length instead of shell diameter. The 6" diameter shells can be tuned melodically and are available in low and high pitch sets.

7850N2H 2pc High-pitch set w/H0W29W stand 7850N4H 4pc High-pitch set w/H0W49W stand 7850N4L 4pc Low-pitch set w/H0W49W stand



STEEL MINI-TYMPS

Another very affordable way to add new colors to our kit, TAMA's Steel Mini-Tymps provide new accents with a clear and "cracky" sound to just about any style of music. Two models are available. Includes L-rod(LLT), angle adjustable ratchet arm and multi-clamp(MC66).

MT68ST 4"x6"+4"x8" MT810ST 4"x8"+4"x10"



OCTOBAN STANDS



Octobans	
Model No.	Depth
OCT280N	280mm (11")
OCT301N	301mm (11-3/4")
OCT343N	343mm (13-1/2")
OCT390N	390mm (15-1/2")
OCT443N	443mm (17-1/2")
OCT472N	472mm (18-1/2")
OCT536N	536mm (21")
OCT600N	600mm (23-1/2")

HOW49W for 4pc octobans HOW29W for 2pc octobans

OCTOBAN HOLDERS FOR PTS

0A49 for 4pc octobans (upper section of HOW49W) **0A29** for 2pc octobans (upper section of HOW29W)

*0A49 & 0A29 need J24 attachment separately.

RHYTHM WATCH



RW105

The first timekeeper designed specifically for the band's timekeeper, TAMA's Rhythm Watch had everything a drummer needed to make sure the time was right-live and in the studio. The original Rhythm Watch featured enough volume to play with real drums, a large, easy-to-read display, a dial for quick tempo adjustments, separate volumes for quarter notes, eighths and triplets...the list went on and on. The second generation RW105 features a backlit display, 30 different memory settings, and up to nine

SPECIFICATIONS

Tempo Range: 35-250 BPM Tempo & Beat Memory: 30 songs Display: LCD display with BACK LIGHT Size: 127x25x151mm (5"x 1"x 6") Weight: 330g (11.64 oz) including battery Power Supply: 9V Battery (S-006P) or DC9V 200mA adapter

ATTACHMENT

LRW: Specially designed rod mounts RW105 to your kit using the MC66 as the



TENSION WATCH



Precise tuning used to take years of experience and tuning each drum often felt like it took years. No more. The TW100

measures actual head (not tuning rod tension) on an easy to read meter, so you can record the numbers and duplicate your best tuning time after time. Or you can use the suggested sample tunings in the directions. Either way Tension Watch lets you spend more time playing and less time tuning.

TAMA LOGO STICKERS

different beat divisions. The only thing we didn't change was the simplicity.

TLS100BK (Black) TLS100WH (White)



POWER KICK PK20

A bass drum muffler made of sponge, precut to fit inside the shell curve of the bass drum, with just the right size and hardness for the best sound-dampening qualities.



TUNE-UP OIL

lubricating the moving parts of stands, pedals, and tension bolts. Also protects pedal chains from rust.



WOOD HOOP SAVER



MHS53 (3pcs/set) Special adhesive pieces protect your wood hoop from being scratched by the bass drum pedal from slipping



MULTI-RATCHET KEY

MRK10

This is a handy ratchet key that lets you take care of your entire drum kit. It makes head changes quick and convenient and is also helpful when replacing parts such as lugs. A special case is included.

Included items (from left to right)

- 10 mm hex socket post (for M6 hex nut) 7 mm hex socket post (for M4 hex nut)
- 5 mm hex wrench bit
- Phillips screw bit
 Square headed bit (for tension bolts)

SILENT TIPS

TCP10D Silent practice with your own sticks any time anywhere



DX SERIES DRUM BAG

Drum Bag		Cymbal Bag	
Model No.	Specification	Model No.	Specification
DBB22X	20"x22" Bass Drum	CMB22	22"(16"pocket)
DBB22	18"x22" Bass Drum		w/compartment
DBB20	18"x20" Bass Drum	Stick Bag	
DBB18	16"x18" Bass Drum / Floor Tom	Model No.	Specification
DBS14	4 to 6.5"x14" Snare Drum	STB24	Stores about 12 pairs
DBS14E	8"x14" Snare Drum		of stick & mallets.
DBT10	8"x10" Tom Tom	Pedal Bag	
DBT12	9"x12" Tom Tom	Model No.	Specification
DBT13	10"x13" Tom Tom	DPB200	Stores single or twin pedals.
DBT14	11"x14" Tom Tom		peuais.
DBT14E	14"x14" Floor Tom		

DBT16 16"x16" Floor Tom

FEATURES

1200 denier high density water resister surface Inner silver flannel except CMB22)

Top/Bottom ... Soft 30mm and semi hard cushion

Strap 50mm hard belt and shoulder pad Handle ...50mm belt w/rubber grip





Drum Bag Set		
Model No.	Content	
DSB52S	22" BD, 12" &13" TT, 16" FT, 14" SD	
DSB52F	22"BD, 10", 12" & 14" TT, 14" SD	

FEATURES


-600 denier high density water resister surface -Cushion 10mm -Comfortable carrying : w/shoulder pads

DRUM STICKS

You can have the most expensive kit in the world and still be miserable if you can't find the right stick. TAMA makes finding the right stick a whole lot easier. TAMA sticks are available in various different series. Traditional series features traditional sizes such as 5A, 7A etc. Standard series utilizes an original TAMA sizing system, which allows you to simply select your stick by the grip diameters and tip shapes.

STANDARD

Japanese Oak



HOLOMOTER COR to 整 W KTAMA						
Tip Style	Model No. Japanese Oak American Hickory		Diameter	Length		
	213B	H213B	13mm			
	214B	H214B	14mm			
	215B	H215B	15mm			
	216B	-	16mm			
	213P	H213P	13mm			
	214P	H214P	14mm	406mm		
	215P	H215P	15mm			
	216P	H216P	16mm			
	214N	-	14mm			
	214S	-	14mm			
	215S	-	15mm			

American Hickory

AMATE - I'C+9 I

Tip Styles				
		B: Thi to beg		
		P The cor hea		
		Ny dur		
		S Sm and		

nis is the most popular tip shape due to its ability produce consistent notes. A great stick for eginners as well as pros.

e teardrop shape allows you to change and atrol the sound according to how you hit the

lon provides a sharp clear sound and added rability, which makes nylon tip sticks especially zed for cymbal work.

Small

aller tips offer subtlety, volume control, clarity

POWER TOOLS TAMA's Power Tools, with "specs" that make sense are made of finest American Hickory and Japanese Oak. Power Tools' perfectly balanced, long-lasting matched pair are the closest thing to having your own customized stick.

Japanese Oak

FOWER TOOLS MAN							
PONRITOS							
Tip Style	Mod Japanese Oak	el No. American Hickory	Diameter	Length			
	OM1	HM1	13mm	394mm			
	OM2	HM2					
	OMN2	HMN2	14mm	406mm			
	ОМЗ	НМЗ	15mm	400MM			
(AlAn	OM4	HM4	16mm				
	OM-BC	HM-BC	10111111	432mm			



American Hickory

FOWER TOOLS ! TANK FOWER TOOLS

Tip Styles



Square type tip for subtle, quick response and clarity. Easy to control in low volume situations.



Enables easy control over volume and ping sound. The egg shaped tip works well in a wide range of styles.

The large rounded is edge designed for rich tone and volume. The weight balance of the tip is concentrated in the center to produce a full tone with clarity.

Large-type tip with wide surface contact enables greater volume and longer sustain. The right choice

The gently contoured fat tip allows broader surface contact with heads and cymbals. Designed for power performances, this stick

SIGNATURE STICK

DIRK VERBEUREN(SOILWORK) MODEL SOILWORK



TRADITIONAL

Japanese Oak



American Hickory

TAMATE - 17CH HEADER

Tip Styles

The 7A's small tip size is superb for subtle and legato cymbal work, and performs excellently in the jazz environment.

Oval (teardrop) shaped tip. Balanced towards the tip-end for quick sound and response. Great size, weight and balance are perfect for all-round use.

The small tip allows subtle nuances. The sharpened square-shaped tip point also enables enhanced clarity.

Provides rich, full volume sound. When played at different angles, the sharpened tip can provide subtle nuances.

TAMA DESIGN STICKS

ORIENTAL BEAUTY

The design concept of the "Oriental Beauty" comes from a pattern often used in traditional Japanese clothing such as kimonos.



STREAM BEAT

The design concept of the "Stream Beat" was inspired by a traditional Japanese art pattern, a carp leaping upstream.

9	WTAMA WAN
	INTAMA JAPAN
	MTAWA IIII
	MTAMA III

Rhythmic fire The "Rhythmic Fire" sticks feature an original TAMA tribal graphic design.



STICKS OF DOOM

The "Sticks of Doom" feature an original TAMA skull and bones graphic design.



	Model No.					
Tip Style	Japanese Oak		American Hickory	Diameter	Length	
' 1	Natural, Magenta Pattern	Black, Gold Pattern				
	7A-B	7A-B-BG	H7A-B-BG	13mm	390mm	
	5A-B	5A-B-BG	H5A-B-BG	14mm	406	
	5B-B	5B-B-BG	H5B-B-BG	15mm	406mm	

Tip Style	Model No. Japanese Oak		Diameter	Length	
	Natural, Blue Gray Pattern	Black, Gold Pattern			
	7A-K	7A-K-BG	13mm	390mm	
	5A-K	5A-K-BG	14mm	- 406mm	
	5B-K	5B-K-BG	15mm	40011111	

		Model No.				
1	Tip Style	Japanese Oak			Diameter	Length
ı		Natural	Black, Silver Pattern	Black, Red Pattern		
		7A-F	7A-F-BS	7A-F-BR	13mm	390mm
1		5A-F	5A-F-BS	5A-F-BR	14mm	406
		5B-F	5B-F-BS	5B-F-BR	15mm	406mm

Tip Style		el No. se Oak	Diameter	Length
	Natural	Black, Silver Pattern		
	7A-S	7A-S-BS	13mm	390mm
	5A-S	5A-S-BS	14mm	406mm
	5B-S	5B-S-BS	15mm	400111111





































































TAMA Artists

Sal Abruscato Adde Rony Afif Franck Agulhon Ainol Tim Alexander John Alfredsson Nicke Andersson Burrows Andy Steven Ansell Pauly Antignani Guillaume Arbonville Kenny Aronoff
Shauney Baby
Karsten Bagge
Stefano Bagnoli
Nikolay Balakirev
Olivier Baldissera Chris Ballinger Gino Banks Anye Bao Brandon Barnes João Barone Frank Beard Tom Beck Charlie Benante Paco Beneyto Justin Bennett Joe Bergamini Jack Bevan Jason Bittner John Blackwell Oli Böhm Jeff Boudreaux Jeff Bowders James Bradley Jr. James Branham Larry Bright Stef Broks Bill Bruford Ronald Bruner Sr. Eron Bucciarelli Patrick Buchmann Christoph Buhse Martin Bulloch Chuck Burgi Chad Butler Dean Butterworth Matt Byrne Walter Calloni Bruce Carter Marcelo Castro CESINHA André Charlier Adam Church Hans Cleuver Vicent Climent Jeremy Colson Cristian Constanti Stewart Copeland Eric Correa Jason Costa Mike Cox Danny Craig Mark Cross Dale Crover James Culpepper Abe Cunningham Brann Dailor Flo Dauner Jake Davison Tom Decker Jay Dee Daugherty Adam Deitch Jon Dette Frank Doe John Dolmayan Patrick Dorcean Stuart Doughty Max Duhamel Mario Duplantier Thomas Duus Andru Dykes Frederik Ehmke Joel Ekman Erik Engebretsen Tom English Vladimir Ermakov Alan Evans

SLife Of Agony / My Mortality Hardcore Superstar Kamal Musallam Group / Independent Eric Legnini / Sylvain Beuf / Pierre de Bethmann Deja Voodoo Spells Primus / Attention Deficit Death Breath/The Solution Razorlight Blood Red Shoes Independent Arkol / Barth John Fogerty / Sessions Will.i.am
Søren Møller Trio / Freelance
Independent / Paolo Fresu Devil Quartet / Francesco Cafiso Quartet SerGa Liane Foly / 500 choristes / Michael Jones Independent Nexus / Independent / Studio Estopa Rise Against Palamas do Sucesso ZZ Top Independent Anthrax / S.O.D. Malú Skinny Puppy 4Front / Broadway Shadows Fall Rearview Glenn Ferris / Piers Faccini Independent arry Bright Trio / Independent Textures Farthworks Stanley Clarke / George Duke /Marcus Miller Hawthorne Heights Independent / Anguun / Geoffrey Oryema Annett Louisan /Joja Wendt Mogwai Billy Joel Good Charlotte / Sessions Hatebreed Linea C / Independent / La Drummeria Independent / Solo Artist Backyard Babies Independent Buffalo Vanessa da Mata Charlier-Sourisse / Captain Mercier / Didier Lockwood New quartet Independent / Black Diamond Hearts Independent Independent Steve Vai Independent
The Police
Cypress Hill
All That Remains Default Firewind Flyleaf Deftones Mastodon Die Fantastischen 4 / Paul van Dyk Aiden Spineshank Patti Smith Independent Independent The BOSSHOSS Scars on Broadway / System of a Down Zap Mama / Independent Reverend And The Makers

Maxx Furian
Nick Gaffaney
Aaron Gainer
Paul Garred
Josh Garza
Chris Gaylor Arya Goggin Tom Gomes Romain Goulon Alain Gozzo Rayford Griffin Roberto Gualdi Henrik Gustavsen Chris Hamilton Chris Hamilton Keith Harris Dieter Hartmann Earl Harvin Jimmie Hatcher Raymond Herrera Bobby Hewitt Mauricio Hidalgo Zach Hill Jim Hines Jonas Holgersson Thomas Holmen Pete Holmes Rodney Holmes Alexander Hötzinger Dominic Howard Rob Hubbard Sietse Huisman Janne Hyrkäs Albino Infantozzih Andreu Jacob Christer Jansson Igor Javad-Zade Per Møller Jensen Michael Johnson Eric Jones Sarah Jones Rick Jordan Francesco Jovino The Jungle Drummer Mike Justian KALU Jon Karel Jimmy Keegan Steve Kemp Scott Kettner Chris Knapp Paul Kodish Kris Kohls Richard Kolinka Perttu Kurttila Uli Kusch Isolde Lansoen Frik Lantz Felix Lehrmann Maxime Lenssen Shannon Leto Xun Liang Gas Lipstick Ryan Loerke Dave Lombardo Shannon Lucas Troy Luccketta John Macaluso Jason Mackenro Dave Mackintosh Elias Mallin Alexander Maniakin Janne Manninen Franck Marco Antonio Marra Barrett Martin Barrett Martin Harvey Mason Matthias Maze Meusel Sam McCandless Donald McKenzie II Pj McMullan Laurent Mercier Fito Messina Richie Mills Adriano Molinari Jarrod Montague Gonzalo Muga Daniel Mullback Eddie Murphy Jeff Neal

Kirk Frederickson

Independent / Randy Brecker / La Drummeria Golden Horse 12 StonesS THE KOOKS The Secret Machines
The All-American Rejects Skindred Independent Necrophagist Dolcenera / PFM / NoiZe Machine Surferosa Evans Blue Seal / Air Gizmachi Fear Factory / Killing Zone / 3volution Productions Independent Weichafe Team Sleep Independent Lisa Ekdahl Black N' Blue / Independent Steve Kimock Band / Independent Theater des Westens Muse Independent Art Attack / Independent Mokoma Independent / Studio Independent
Paul Krebs / Studio
Drums Dreams / Independent
The Haunted Independent Jakob New Young Pony Club / Kissy Sellout Boney James U.D.O. / Edge of Forever / Alto Voltaggio Jungle Drummer Vs. DJ Fu Independent XUTOS E PONTAPÉS The Number Twelve Looks Like You Spock's Beard Hard Fi High on Fire Atomship Nation Beat The Ataris Téléphone / Cali / Aubert Zvery Pagan's mind Daan / Briskey Neverstore Rivo Drei, Sarah Connor Independent / Chris Whitley / Gorden Haskell 30 Seconds to Mars The Ghost Spardac HIM Secret & Whisper Slayer / Fantomas The Black Dahlia Murder Ark Rollins Band / Mother Superior DRAGONFORCE Goo Goo Dolls Kill Hannah Kipelov MvGrain Orchestra Notte della Taranta / Radiodervish / Independent Tuatara / Wayward Shamans Fourplay Roger Cicero / TokTokTok Cold
Vernon Reid's Masque / Kat Deluna / Red Lights to Rio
3rd Strike / capitol J
Independent / William Scheller / West Music Club Bigband Axel The Lucky Nine / Session

Shawn Nourse Ryan O'Keeffe Cherisse Osei Nick Oshiro Arthur Osipov Al Pahanish Denis Palatin Eddie Panlagua Pete Parada Chul Woo Park Dal Jun Park AJ Pero Simon Phillips Denis Popov Mike Portnoy Danny Pucillo Jr. Humberto"R4v3NDrvmZ" Ramirez Brian Rasmussen Roman Ratej Pete Ray Biggin Jon Rice Blake Richardson John Roberts

Janne Robertsson Robin Philip Robinson Joel Rosenblatt Oli Rubow Jason Rullo Bruce Rutherford Morten L¢we S¢renssen John Salazar Jari Salminen Bobby Sanabria Charlie Sardá Gustav Schäfer Kenneth Schalk Richard Scheufler Jr. H. Benjamin Schuman Franco Sesa Sam Sheppard Alexander Shigolev David Silveria
Jason Singleton
Christer Sjöström Skinny Charlie Smaldino Shane Smith Chris Sobchack
George "Spanky" McCurdy
Jeremy Spencer
Sporty
Jeremy Stacey
John Stanier
Paul Stewart
Paul Stewart Rikard Stjernquist Charles Streeter Daniel Svensson Piotr Szkudelski Roger Taylor Simon Taylor John Tempesta Adi Tetrade Eric Thievon Alex Thomas Frank Tonto Dan Torelli Pat Torpey Scott Travis Lars Ulrich Ales Uranjek Rufo Urbina Bram Van den Berg Teppo Velin Dirk Verbeuren Jorma Vik Ryan Viked hard Waller III Bill Ward Skoota Warner Liam Watts Daniel Weksler Ron Welty Michael White Peter Wildoer
Pete Wilhoit
Marcus Williams
Omari Williams Augie Wilson Trivett Wingo Gary Wiseman Pete Wrba Bill Wysaske

Independent Airbourne Ana Popovio Brothers Grimm Noxa Autopilot Off Independant De Phazz / Hattler Symphony > Alan Jackso Janus Poets of the Fall Celtie Frost King and Joker Korn Arm in Arms Session / Studio Mushroomhead Magna-Fi GODIEGO Independent Jag Panzer Chaka Khan In Flames Perfect Madina Lake Metallica Sank Rock Independent The Bronx Independent MusicReport Black Sabbath The Enemy NX Zero Steady Ground Darkane Fiction Plane The Sword

WoongSan Project / Independent Freedom Independent / La Drummeria Twisted Sister TOTO The Prodigy
Gay Lussac / In Memoriam / Claudia Ostos blues band
Mnemic Milerinic
Billysi
Mark Ronson / Session
Job for a Cowboy
Between the Buried and Me
Janet Jackson / Jill Scott
Odd Job / Studio Submission / The Arcane Order Ascension
Manolo García
Tokio Hotel
Independent / Hope Kills Fear
Bara Zemanova / Antigona-rock
Metta Quintet / JazzReach, Inc. ckopera / The Scheufler's Kanve West / Diddy / Tve Tribbett Five Finger Death Punch Wig Wam Sheryl Crow / Sessions Battles / Tomahawk The Feeling The Cult Independent Anquetil Project / Stick Story Quartet Bat For Lashes / Squarepushe

Independent Judas Priest / Racer X Krezip / Independent Stam1na Soilwork / Scarve / Phaze I George Benson / Rhythm Logic Tyler Perry Boney James / Ruben Studdard

Bowling for Soup Giana Nanini / Konstantin Wecker Independent Bleeding Through Padi Serj Tankian Die Prinzen RUN

... and more



Fajar Joe Fazzio

Chris Fehn Gaël Féret

Giovanni Figueroa Antoine Fillon Jorel Flynn Brian Frasier-Moore

Kataklysm

Independent

Independent

Edane

Superioint Ritual

Slipknot Misanthrope / Triple FX

Toni Braxton / Sonny Emory Madonna / Christina Aquilera / Janet Jackson

Blind Guardian Independent

Gojira Laid Back / Studio

Black Obelisk / Mechanical Poet

Alejandro Fernandez / Hector Infanzón / Ricardo Arjona Pop Stars TV Band

The contents of this catalogue are copyrighted 2009 by Hoshino Gakki and not to be copied in any manner without the written permission of HOSHINO GAKKI CO., LTD.

Jukka Nevalainen

Zucchero / Independent

Sabbaton Tabella Boston

Nightwish

Aleiandro Silva Power Quarteto

©2009 OCT08694 Printed in Japan (E)

TAMA Drums are sold and Serviced b

Troy Zeigler Ali Zieme Maxx Zinno